


ARCHÆOLOGICAL
AND
HISTORICAL COLLECTIONS

RELATING TO THE COUNTIES OF

AYR AND WIGTON

VOL. II.



EDINBURGH

PRINTED FOR THE AYR AND WIGTON ARCHÆOLOGICAL ASSOCIATION

MDCCCLXXX

1880

CONTENTS.

	PAGE
I. NOTES ON THE ANCIENT STONE IMPLEMENTS OF WIGTOWNSHIRE. By the Rev. G. Wilson, C.M.S.A., F.C. Manse, Glenluce	1
II. NOTE ON A STONE AXE-HAMMER, FLUTED ON THE SIDES. By James Macdonald, LL.D., M.A., F.S.A. Scot.	4
III. NOTES ON THE ANCIENT BRONZE IMPLEMENTS AND ORNAMENTS OF WIGTOWN- SHIRE. By the Rev. G. Wilson, C.M.S.A.	6
IV. AYRSHIRE CRANNOGS. By R. Munro, M.D., M.A., F.S.A. Scot.	17
V. NOTE ON SOME EXCAVATIONS IN A ROCK-SHELTER ON THE AYRSHIRE COAST. By R. W. Cochran-Patrick, M.P., LL.D., F.S.A. Scot. With a Report on the Osseous Remains, by Professor Cleland	89
VI. NOTE ON TWO VESSELS OF BRASS FOUND IN KILBIRNIE LOCH. By J. Ander- son, Assistant Secretary to the Society of Antiquaries of Scotland, and Keeper of the Museum of National Antiquities, Edinburgh	101
VII. AYRSHIRE DUNS (No. I., DUNVIN). By R. W. Cochran-Patrick, M.P., LL.D., F.S.A. Scot.	109
VIII. THE PARISH CHURCH OF KILBIRNIE. By J. Shedden Dobie, F.S.A. Scot.	111
IX. THE HERALDRY OF WIGTOWNSHIRE (No. II.) By Sir Herbert Maxwell, Bart., of Monreith, M.P.	136
X. COLLECTIONS RELATING TO THE PARISH OF TARBOLTON. By W. S. Cooper, LL.M. Cantab., F.S.A. Scot.	137
XI. EXTRACTS FROM MS. CORRESPONDENCE AT CRAUFURDLAND CASTLE. By J. R. H. Craufurd of Craufurdland	156
XII. SELECTIONS FROM FAMILY PAPERS AT LANFINE. By R. Gairdner, Thorntoun House	185

IV.

AYRSHIRE CRANNOGS.

INTRODUCTION.

Irish Crannogs.—Though the etymology of the word *Crannog* is somewhat doubtful (*crann*, a mast or tree, and *og*, young), its application in the Scottish and Irish Annals to designate the island-forts that once studded the lochs of both countries is quite definite. The historic references made to the Irish Crannogs are numerous, and extend over a long period, from the middle of the eighth down to the seventeenth century; but, notwithstanding these, it was not till the year 1839 that their archæological importance became known. In this year Sir W. R. Wilde discovered and examined the Crannog of Lagore, in the county of Meath, of which he has published full particulars.¹ After this other Crannogs were discovered in rapid succession, and it became apparent that they had existed very generally over the country, so that in 1857 Sir W. R. Wilde enumerates no less than forty-six. His prediction that others would be exposed to view as the general drainage of the country advanced has been amply verified, because every succeeding year has seen an increase to their number. In a paper entitled "Observations on the principal Crannogs of Fermanagh," published in 1873,² Mr. W. F. Wakeman, after noticing their existence in eighteen different places in this county, and numbering no less than twenty-nine, says, "This glance is far from complete in its enumeration of the 'Lake-Dwellings' still remaining in this old territory, but it gives, I think, the principal examples." According to this writer, "The Irish Crannog, great or small, was simply an island, either altogether or in part artificial, strongly staked with piles of oak, pine, yew, alder, or other timber, encompassed by rows of palisading (the bases of which now usually remain), behind which the occupiers of the hold might defend

¹ *Proceedings of Royal Irish Academy*, vol. i. p. 420.

² *Journal of the Royal Historical and Archæological Association of Ireland*, vol. ii. p. 305.

themselves with advantage against assailants. Within the enclosure were usually one or more log houses, which no doubt afforded shelter to the dwellers during the night time, or whenever the state of the weather necessitated a retreat under cover." On the Irish Crannogs a vast collection of antiquities were found, such as swords, knives, spears, javelins, dagger-blades, sharpening-stones, querns, beads, pins, brooches, combs, horse-trappings, shears, chains, axes, pots, bowls, etc.; and within the last few years, according to Mr. Wakeman,¹ many fragments of pottery, of a similar character to the fictile ware used for mortuary purposes in the prehistoric and pagan period, have also been found on some of them.

Continental Lake-Dwellings.—Soon after the discovery of the Irish Crannogs the attention of archæologists was directed to remains of Lake Dwellings in Switzerland. It appears that during the winter of 1853-4 the inhabitants of Ober Meilen, near Zurich, took advantage of the low state of the water in the lake to recover portions of the land, which they enclosed with walls, and filled in the space with mud. When the workmen began to excavate they came upon heads of piles of wood, stone celts, stags' horns, and various kinds of implements. Dr. Ferdinand Keller, President of the Antiquarian Society at Zurich, hearing of the discovery, took up the matter with much energy, and after careful investigation of the remains at Ober Meilen, came to the conclusion that the piles had supported a platform, that on this platform huts had been erected, and that, after being inhabited for many centuries, the whole wooden structure had been destroyed by fire. The discovery at Zurich was almost immediately followed by the discovery of similar structures in the other Swiss lakes. Owing to a vast system of drainage carried on since, there has been a great increase to their number, so that at the present time it is well ascertained that scarcely a sheltered bay in any of the lakes of Switzerland and neighbouring countries but contained a lake village. The most common plan adopted by the constructors of these ancient dwellings was to drive numerous piles of wood, sharpened sometimes by fire, sometimes by stone celts, or, in later times, by metal tools, into the mud near the shore of a lake; cross-beams were then laid over the tops of these piles, and fastened to them either by mortises or pins of wood, so as to form a platform. In certain cases the interstices between the upright piles were filled with large stones, so as to keep them firmer. Sometimes, when the mud was very soft, the upright piles instead of being inserted into the

¹ See *Journal of the Royal Historical and Archæological Association of Ireland*, vol. i. p. 583.

mud were mortised into split oak trees lying flat at the bottom of the lake. Other erections were composed of layers of sticks laid horizontally one above the other till they projected above the surface of the water, and thus presented a somewhat solid foundation for the platform. Upright piles here and there penetrated these structures, but rather served the purpose of keeping the mass together than giving any support to the platform. From the remains found on the sites of these lacustrine villages it is inferred that their occupiers were acquainted with agriculture, and grew wheat and barley; that they had domesticated animals, such as cats, dogs, pigs, oxen, horses, sheep, and goats; that they used as food hazel nuts, plums, apples, pears, and raspberries; that they were acquainted with the principles of social government and the division of labour; and that they manufactured cloth and ropes from bast and flax by means of looms, and the distaff and spindle.

Scottish Crannogs.—In Scotland Lake-Dwellings have also become the subject of study and examination. But, like the Irish Crannogs, the early historical references to them, and even incidental notices of their discovery in the present century, seem to have been overlooked, so that it was not till 1857, when the fame of the Swiss discoveries had spread far and wide, that the Scottish Archæologists became impressed with the value of this new field of research. In this year, Mr. Joseph Robertson read a paper to the Society of Antiquaries of Scotland, entitled “Notices of the Isle of the Loch of Banchory, the Isle of Loch Canmor, and other Scottish examples of the artificial or stockaded islands, called Crannogs in Ireland and *Keltische Phahlbauten* in Switzerland.”

The next discovery of this kind was a group of artificial islands in Lake Dowalton, Wigtownshire, which were first described by Lord Lovaine in a paper read at the British Association in 1863. Soon afterwards Dr. Stuart, then Secretary to the Society of Antiquaries of Scotland, re-examined the Dowalton group under more favourable circumstances than Lord Lovaine, owing to the drainage of the loch being in a more advanced state. The result of his labours was an elaborate paper, published in 1866, in which he gave a detailed account of the structure and relics of these Crannogs, and also took the “opportunity of incorporating unto his description all the facts he could glean, so as to afford a basis for comparing the Scottish examples with those in other countries.” Since the publication of this paper (*Proced. of Soc. of Antiq. Scot.*, vol. vi. part i.) no further investigations on Scottish Crannogs, with the exception of an occasional notice

of a fresh discovery of the site of one, have been recorded. According to Dr. Stuart, "the lacustrine remains of Scotland admit of a certain classification. There are first, crannogs proper, by which I mean islands in lakes, of which, including the group at Dowalton, about thirty-five are known.

"Then there are sites in marshes where vestiges of piling, or other indications of former crannogs, have been found; and of these there are ten.

"Besides these we have in many lakes natural islands, which have been fortified principally by barriers of stones surrounding them, and by causeways leading from the shore, and these are very numerous.

"Of the first class, or the crannog proper, the ordinary construction was by logs of wood in the bed of the lake, supporting a structure of earth or stones, or of a mixture of both, the mass being surrounded by piles of young oak trees in the bed of the lake, the inner row of which kept the island in shape, and the external rows acted as defences and breakwaters. The crannogs at Dowalton were differently constructed. The surface of the island was of stones resting on a mass of compressed brushwood, below which were large branches and stems of small trees, mostly hazel and birch, mingled with stones, apparently for compressing the mass. Below this were layers of brushwood, fern, and heath, intermixed with stones and soil, the whole resting on a structure of fern which lay on the bed of the loch. Some of the islands were surrounded with beams of oak, mortised into each other, and laid in a sloping position to the outer edge, and were probably intended as breakwaters; and occasionally planks of oak with grooves in them were noticed."¹

But though traces of these Crannogs have been found in almost every county in Scotland, there has been no systematic examination of them worthy of comparison with the investigations that have been made in other countries; nor, with the exception of a few articles found at Dowalton, is there any collection of relics which would enable archæologists to form an opinion with much certainty as to the purpose they served in the social economy of the period they represent, nor can their range in the dim vista of prehistoric times be determined with greater accuracy. It is therefore with pleasure I quote the following extract from the pen of such an able Antiquary and cautious theorist as Mr. Joseph Anderson, under-Secretary to the Society of Antiquaries of Scotland:² "Judging from the historical

¹ *Lake-Dwellings*, by Keller (second edition), p. 657.

² See Article "Crannog," *Encyclopædia Britannica*, 9th edition.

evidence of their late continuance, and from the character of the relics found in them, the Crannogs of Scotland and Ireland may be regarded as the very latest class of prehistoric strongholds, reaching their greatest development in early historic times, and surviving through the Middle Ages. In Ireland Sir William Wilde has assigned their range approximately to the period between the ninth and sixteenth centuries." On the antiquity of the Irish Crannogs Sir W. R. Wilde writes as follows :¹ "Certainly the evidences derived from the antiquities found in ours (Irish), and which are chiefly of iron, refer them to a much later period than the Swiss ; while we do not find any flint arrows or stone celts, and but very few bronze weapons, in our Crannogs. Moreover, we have positive documentary evidence of the occupation of many of these fortresses in the time of Elizabeth, and some even later."

On the other hand, the Swiss Lake-Dwellings or *Phahlbauten* have been so extensively and carefully investigated that continental Archæologists have been able to classify them according as they belonged to the Stone, Bronze, or Iron ages. Dr. Ferdinand Keller, one of the ablest authorities on the subject, has come to the conclusion that they were simply villages inhabited by a peaceful community, that they were of Celtic origin, that they had attained their greatest development about B.C. 1500, and that they finally ceased to be occupied about the commencement of the Christian era.

It would thus appear that the supposed analogy between Scottish and Continental Lake-Dwellings is more in name than in fact, and on this point Mr. Anderson remarks that the former resemble the latter "in nothing except that they are placed in lakes. The Crannog is a type of a stronghold peculiar to Celtic countries. No example is known in England, although over a hundred have been examined and described in Ireland, and perhaps about half that number in Scotland."²

There appears, however, to be a complete parallelism between the Scotch and Irish Crannogs. Both are products of Celtic civilisation, both furnish relics of a similar character, and so far as the Scotch examples have been examined, they appear to have been constructed on similar principles. A prominent feature in the structure of the Lochlee Crannog, was a surrounding circle of horizontal beams with mortised holes for receiving the upright piles. These transverse beams were raised about three feet above the

¹ *Proceedings of Royal Irish Academy*, vol. vii. p. 152.

² Article "Crannog," *Encyclopædia Britannica*.

ordinary flooring, and had other beams lying over them forming a sort of platform, external to which the island sloped gently into the water. Though the exact purpose of these beams is not clearly determined, they appear to have been common to both the Scotch and Irish Crannogs. Dr. Stuart, as already mentioned, found them in the Dowalton group.

From "Notes on the Crannogs and Lake-Dwellings of Wigtownshire," by the Rev. George Wilson, I extract the following quotation:—"Several of the beams show mortised holes neatly cut, some of them about 7 inches square. In some of the smaller ones pieces of the broken mortises still stand upright."¹

Dr. Reeves, writing about a Crannog in the county of Antrim, says, "These piles were from 17 to 20 feet long, and from 6 to 8 inches thick, driven into the bed of the lough, and projecting above this bed about 5 or 6 feet. They were bound together at the top by horizontal oak beams, into which they were mortised, and secured in the mortise by stout wooden pegs."²

My next quotation is from a paper by G. H. Kinahan, Esq., of the Geological Survey of Ireland, on Crannogs in Lough Rea: "A little N.W. of the double row, in the old working, there is a part of a circle of piles; and in another, a row of piles running nearly E. and W. Mr. Hemsworth of Danesfort, who spent many of his younger days boating on the lake, and knows every part of it, informs me that on the upper end of some of the upright piles there were the marks of where horizontal beams were mortised on them. These seemed now to have disappeared, as I did not remark them."³

Mr. Wakeman, to whose writings I have already referred, writes as follows: "It would appear that, in some instances at least, their spike-like tops were anciently mortised into holes cut for their reception in beams of oak, which were laid horizontally. Just one such beam we found undisturbed, resting on the vertical spike *in situ*. A respectable elderly man, named Coulter, who resides not far from the lough (Ballydoolough), informed me that he well recollected to have seen many of these horizontal timbers resting upon the stakes or piles. They were hardly ever uncovered, but were distinctly visible a few inches below the surface of the water. This I believe to be a feature in the construction of Crannogs, but seldom remarked."⁴

¹ *Proceedings of Society of Antiq. Scot.*, vol. ix. p. 368.

² *Proceedings of Royal Irish Acad.*, vol. vii. p. 155.

³ *Ibid.* vol. viii. p. 417.

⁴ *Journal of Royal Hist. and Archaeolog. Association of Ireland*, vol. i. p. 362.

Another notable point of agreement between the Scottish and Irish Crannogs is, that canoes, hollowed out of single trunks, are almost invariably found in their vicinity; and this holds true even in cases where moles or gangways connecting the Crannogs with the shore have been found.

Before concluding these introductory remarks, I wish to draw attention to the importance of this comparatively new field of research, which I have here the honour of bringing before the members of the Ayr and Wigton Archæological Association. It not only promises to be abundantly fruitful in the future, but, from the preservative qualities of the mossy sediment in which Crannogs and their relics are generally entombed, we may expect to find articles of which all traces would have been obliterated by decomposition had they been interred in ancient graves, tumuli, brochs, etc.

Although minor discoveries point to the existence of the remains of Crannogs in various parts of this county, such, for example, as the discovery of canoes in Loch Doon, there are only two that have been hitherto explored, viz. one at Kilbirnie, described by the late Robert Love, Esq., F.S.A. Scot., in *Proceedings of Society of Antiq. of Scotland*, 14th June 1875; and the other at Lochlee; both of which are here recorded in the order of their discovery.¹

¹ Since writing the above I have been informed that another Crannog has just been discovered near Maybole, on the property of Sir James Fergusson of Kilkerran. In the course of some preliminary investigations by Mr. Cochran-Patrick of Woodside, who is my informant on the subject, the following articles were found on this Crannog, viz. a hammer-stone, a chisel, two

bronze armlets, two pointed implements of deer's horn, a granite quern-stone, several bruising stones, together with a large quantity of bones. As Sir James Fergusson has expressed a desire to have the Crannog thoroughly investigated, we have already the prospect of interesting materials for the next volume of this Society's publications.

I.—NOTICE OF A CRANNOG IN THE LOCH OF KILBIRNIE.¹

THIS loch of Kilbirnie is situated in the parish of that name, and in, as it is understood, the ancient barony of Glengarnock, which skirts it nearly throughout on its north-west margin, and which was long a possession of a family of the name of Cuninghame, an early, if not the earliest cadet of the Kilmaurs family, first ennobled as Lords Kilmaurs and latterly as Earls of Glencairn. The earliest name discovered which was given to this loch is "Loc Tancu," which is contained in a charter to the Monastery of Paisley of the Barony of Peti or Little Auchengown, in the parish of Lochwinnoch. This charter, which is dated between 1208 and 1214, is to be found in the Register of Paisley (p. 23). Locally this loch has been known for a long time as "Loch Tankard" or "Thankard," although little in use, and a small farm at its north-west corner is called the "Unthank," or "Onthank," a name which, as well as Thankard, probably had its origin in "Tancu," or, what is possible, the latter may be a corrupted form of the former. At a considerably later period, however, this loch is by Boece (Bellenden's translation) and Hollinshead called "Garnoth," from, it may be, its being part of the barony of Glengarnock, or if not, then from the Garnock Water passing near its west end.

There was a little island in the upper end, and near the north-west corner of this loch; and most who knew it when entire, fifty or sixty years ago, are agreed that it was essentially circular, although some little pointed towards the south. It was, they think, of the diameter of from 23 to 25 yards, a view that is confirmed by the Ordnance Map,² the survey for which was happily made before the island was encroached on by the deposition of *débris* or *slag* from the adjoining ironstone furnaces of the Glengarnock Company. It was distant from the north-west margin of the loch some 56 yards, and from the west margin three times that distance, or about 168 yards. It was elevated, at least in modern times, above the water of the loch in its ordinary state, from 2 to 4 feet; and on the surface was entirely

¹ *Proc. Soc. Ant. of Scotland*, vol. xi. p. 284.

² Ordnance Survey (25-inch scale), Kilbirnie Parish, sheet viii. 5.

overlaid with stones of the boulder sort, not large, and which might have been got on the margin of the lake. Manifesting thus a stony appearance, the name of "The Cairn" (an aggregation of stones) was generally applied to it in the locality. Some say that beams or logs, and piles of wood were noticed during protracted droughts on or along the margin of the island, but if they were, it, notwithstanding, never occurred to any one that the island was other than natural. In the summer of 1868, however, its artificial nature became quite evident. This was occasioned in consequence of the *slag* from the furnaces having been for several years and in great bulk deposited within the loch to the west of and behind this island, which sank down through the deposit of soft yielding mud there, which is of the great depth of 30 or 40 feet, a fact that was ascertained by borings near the site of the furnaces. This had the effect, while it overlay and bore down that part of the island which is towards the west, of moving the east portion of it forward and into the loch, and, at the same time, of upheaving it so that it was elevated considerably above the water. In consequence, this part spread hither and thither and split up; many fissures were the result, both in the artificial deposits and in the underlying mud, which were of a depth that varied from 4 to 6 feet; and it was by means of these that the various artificial *strata* became disclosed.

It has been said that the surface of the island throughout was overlaid or paved with stones. The depth of these was not great, possibly not more than from 1 to 2 feet, there not being in any part that became visible more than two courses. Wood ashes were discovered on the surface—a portion being also found a little below, and some of the stones at one part, in particular the fragments of a sandstone flag, bore distinct evidence of the action of fire; and it was supposed that this flag might have been the hearth of some structure reared on the surface. These stones are to be held as the uppermost artificial *stratum*. The next in descent was a layer of large coarse water-borne gravel mixed with finer sand, which was of the depth of from 18 inches to 2 feet. The third layer was brushwood, boughs of trees, among which the hazel predominated, ferns, etc. etc., but the whole was so compressed as not to manifest a greater depth than about 6 inches. The fourth layer was beams or logs of wood, some of which were nearly 2 feet in diameter, although the greater number was less. These seemed laid down horizontally, and so as to cross or intersect each other, similar to a raft of wood; some of them showed that they had been mortised or checked into

each other, or into vertical piles, and that the tenons when inserted had been fastened by wooden pins, and in one or two instances by large iron nails. The whole of this wood-work, however, when exposed, was in a greatly disturbed and loosened condition from the movement and upheaval of the structure ; and, in consequence, what space in depth these cross-beams occupied was not ascertainable. Then the fifth, and lowest stratum, was the underlying mud, which was fine, pure, and free of stones, and not at all like boulder clay. Besides, there was manifested as having been planted on the surface, one if not more wooden structures, houses or huts they might be, small in size, and one of which at least was in the form of a parallelogram, having been constructed of small round posts of wood used in forming the sides and ends. How it had been roofed did not appear. There were seen also bits of bone, as those of birds, as well as a few teeth, similar to those of the cow or ox. Trees, for the most part of a low stature, were over all parts, as well as reeds and other coarse grasses which sprang up between the stones on the surface.

Then, as regards the *margin* of this island, it appeared to have been palisaded ; at least this was the case on its north-east side—that which only was visible. The piles used for this purpose were apparently of oak, and not great in girth ; they were driven down into the mud bank as the foundation ; and on these, as well as upon the beams, the cutting of an edged tool, not a saw, was quite distinct. Within these vertically placed piles, and resting on the surface, stones, it is said, were placed, which was the case more certainly around the whole margin. It is also said that stones were even placed outside of these piles, in a row, and on the very margin ; but it is only probable that *outwith* this row there had been an outer course of piles, by means of which the stones were kept in position, but which, from weathering, had gone into complete decay.

It is known that this island was approachable by means of a kind of stone causeway which led from the north-west margin of the lake. According to the report of those who saw it often, it was only of the breadth of two or three feet, and was never visible above the water of the loch, which on either side is said to have been six or seven feet in depth. It is not said that this causeway was protected or fortified in any way by piling. It was near the south end of this causeway, along the north-east margin of the island, that in 1868 several canoes or boats, as many it was believed as four, in a less or more entire condition, were discovered. Only one of these, however,

when found was partly entire, and it even wanted some two feet at the bow to render it complete. But as this canoe, formed out of a single tree, and the bronze utensils which were found imbedded in mud within it, have been well described in Mr. Cochran-Patrick's paper, printed in the Society's Proceedings (vol. ix. 385), none of these need now be referred to, further than to say that the pot, the repair or clouting of which was with *iron*, is not by any means uncommon in shape, and that the ewer is not *unique*, inasmuch as, besides the example figured in Wilson's *Prehist. Annals* (p. 556, 1851), there is another very similar also figured in the *Memorials of the Maxwells of Pollok*. The fragment of another canoe was found by the tenant of the adjoining farm of Pudevanholm in removing some of the mud for cultivation. It also lay close by the island on its north-east side; was formed of a single tree of oak, and measured 5 or 6 feet in length by 2 feet 2 inches or so in breadth; the wood in thickness not being more than $2\frac{1}{2}$ or 3 inches at the bottom, which was flatly formed, and some little less at the sides. Moreover, it was peculiarly shallow, not being more than 5 or 6 inches in depth below the gunwale, although possibly some allowance must be made for decay. Of the other canoes no description can be given, owing to their fragmentary condition.

It may be mentioned that there was a breaking and destruction of boats on this loch in the course of disputes which arose between the lairds of Glengarnock and Kilbirnie, with the view of preventing, as it would appear, the establishment of rights by the running of prescription. This will be seen by referring to a case of 18th July 1626, reported in *Morr. Dict.*, p. 10,631, and by an Act of Parliament in 1641, ratifying a charter dated 2d March 1626 (Thomson's *Acts*, v. 521). It would seem as if the laird of Glengarnock was owner of the loch, while the laird of Kilbirnie (the name of a large adjoining barony lying to the west) possessed a right of fishing in it.

Timothy Pont surveyed the Cuningham district of Ayrshire, within which this loch is, about the beginning of the seventeenth century; and it is curious to remark that in his map, which was published by Blaeu, this island does not appear. May it not then have been invisible, and have only come into view after repeated deepenings of the stream called "The Dubbs," the outflow of the loch, which are known to have been made by parties who had an interest to increase their land boundaries by lessening the extent of the loch?

That these Crannogs were constructed and resorted to for safety to life

and property in times of danger would seem apparent. But we have failed to discover that any strong place of defence, such as a British fort, or Irish rath, ever existed in the neighbourhood of this loch. There were the castles of Glengarnock and of Kilbirnie, but both are a considerable distance off. The kirk of Kilbirnie, however, is near; and between it and the loch was a barony Mill on the left bank of the Garnock, called the "Nethermiln of Kilbirnie," where was one of these ancient sepulchral tumuli (*New Stat. Account*, Ayrshire, v. Kilbirnie). And it is only presumable that in this district, in early times, would a considerable population be collected, which would require often to attend to its safety. Crannog, says Joyce, is from *crann* (Erse), a tree, and literally denotes a wooden house. They were "generally placed," as he adds, "on artificial islands in lakes. These were formed in a shallow part by driving stakes into the bottom, which were made to support cross-beams; and on these were heaped small trees, brambles, clay, etc., till the structure was raised over the surface of the water. On this the family, and in many cases several families, lived in wooden houses, sufficiently protected from enemies by the surrounding lake, while communication with the land was carried on by means of a small boat." (*Irish Place Names*, 2d ed. p. 288.) The author refers in this to the Irish Crannogs, but the description is equally applicable to the Scottish examples, and to this in Kilbirnie loch in particular. (*Vide* also Dr. Stuart's elaborate and valuable paper in the *Proceedings*, vol. iv.; the late Dr. Joseph Robertson's article in Chambers's *Encyclopædia*, v. "Crannoges;" "Archæology," in Chambers's *Information*, etc.)

Note.—1. In the parish of Beith, adjoining Kilbirnie on the south, is Loch Bran or Brand, but which now generally passes by the name of "Boghall Loch," from being partly on lands of that name. As part of the barony of Beith it was given to the monastery of Kilwinning towards the end of the twelfth century, and is only a short distance south of the Monks' Grange, or Great Home Farm, and north from the Motehill of the barony, called the "Hill of Beith." And either on or around the margin of this lake, at various times, have piles or stakes of oak or elm been discovered, which, although sometimes looked upon as having been used in fishing the loch, may have been only vestiges of a Crannog.


2. Another loch in this parish of Beith is the "Lowes Loch;" and at its west end is a plot of considerable extent, which is not above the water of

the loch many inches; for the most part it is overgrown with willow and birch, and is never submerged during the greatest floods, but rises and falls with the water. Although probed with a rod, anything like the substructure of a Crannog has not, however, been found.

3. Dr. Stuart's conjecture (*Proceedings*, vol. vi. part i.) regarding the existence of a Crannog in Lochwinnoch Loch, two miles east of that of Kilbirnie, may be well founded. The great number of canoes supposed to have been seen by one party embedded in the mud north of the old castle called "The Peil" was probably no other than the *wooden* portion—the beams and cross-beams and interlacing work—of a Crannog which held place on the islet before the erection of the stone and lime castle during, as it is believed, the first half of the sixteenth century. This islet, which is near the centre of the loch, opposite the old kirk of Lochwinnoch, and the surface of which is freestone, could not be above the water prior to the several deepening of the loch at its outlet, which are supposed to have occurred, the first of them by the Sempills, towards the end of the seventeenth or in the beginning of the following century.

II.—NOTICE OF THE EXCAVATION OF A CRANNOG AT LOCHLEE, TARBOLTON.

Discovery of the Crannog.—The site of the Lochlee Crannog was a small lake, now entirely dried up, which formerly occupied portions of a few fields on the farm of Lochlee near Tarbolton. The lake was surrounded by a gently undulating country, and lay in a hollow, scooped out of the glacial drift, at an elevation of about 400 feet above the sea-level. Taking a fair estimate of its former extent by a careful examination of sedimentary deposits near its shore, it was ascertained, from accurate measurements and levelling, that its area was about 19 acres; but, owing probably to the accumulation of moss and silt, it is known, in modern times, to have been much greater, especially during winter. Before it was artificially drained, some forty years ago, no one appears to have surmised that a small island, which became visible in the summer-time, and formed a safe habitation for gulls and other sea-birds during the breeding season, was formerly the residence of man; nor am I aware of any historical notices or traditions that such was the case; nor does it appear to have attracted the attention of the poet Burns, though he lived for four years on this farm in the capacity of ploughman to his father, then tenant of the place. The Crannog was near the outlet of the lake, and the nearest land, its southern bank, was about 75 yards distant. When the first drainage of the place was carried out, the wrought wood-work exposed in the drains passing through the island, and especially the discovery of two canoes buried in the moss, attracted the attention of the workmen. The shop of a provision merchant at Tarbolton happened to be much frequented by the drainers, and in this way the shopkeeper, Mr. James Brown, came to hear of the finding of the canoes, and the conjectures of the men as to the artificial nature of the island. Mr. Brown, who seems to combine the true spirit of the antiquary with his business habits, never lost sight of the little island at Lochlee and the information he had ascertained regarding it, and on various occasions since,




PLAN OF ORIGINAL AREA OF LOCHLEE.

mentioned the subject to gentlemen who, he thought, were likely to take an interest in it. The recent re-drainage of the same locality revived Mr. Brown's curiosity about the structure of this island, now a slight mound in a field, and being himself unable, owing to the infirmities of age, to take any active part in inspecting it, he wrote a letter about the beginning of September to a gentleman at Ayr suggesting an inquiry into the matter; but as the latter did not seem inclined to take it up, a week afterwards he wrote a note to Mr. Anderson, of the National Museum of Antiquities in Edinburgh. This gentleman, recognising the importance of his information, immediately communicated with R. W. Cochran-Patrick, Esq., of Woodside, Hon. Secretary of the Ayr and Wigton Archæological Association, who lost no time in visiting the locality, and at once discovered the true nature of the mound. Mr. Cochran-Patrick then sent a note to Mr. Turner, factor to the Duke of Portland, under whose supervision the drainage was being conducted, informing him of the discovery, and suggesting in the interests of Archæological Science that an examination of the Crannog should be made. Meantime these facts were communicated to me by Mr. J. H. Turner, and having had my attention already directed to Lake Dwellings in consequence of a recent opportunity I had of inspecting some of their relics preserved at Zurich, I also became interested in ascertaining the exact nature of the find at Lochlee. Next day Mr. J. H. Turner and I visited the locality, and in the course of a few more visits found ample evidence that the mound was really artificial, and had been at some former period the site of a human habitation. At the same time, as if to deepen our curiosity, a small canoe, hollowed out of a single trunk of oak, was dug up by the workmen out of the moss which formed the bottom of the lake. It was then kindly arranged by Mr. Turner senior that some excavations would be made so as to ascertain more accurately the structure of this mound. The general appearance which it presented after these excavations were commenced, as seen in the zincograph of sketch A, was that of a grassy knoll, drier, firmer, and slightly more elevated, than the surrounding field. Unfortunately, the large, deep main drain which happened to pass through and cut off a segment of this mound, was filled up before attention was directed to its archæological importance, so that we lost the opportunity of inspecting the section which it presented to view. Upon careful inspection, however, we noticed towards the circumference of the mound the tops of a few wooden piles barely projecting above the grass,

which at once suggested the idea that they might be portions of a circular stockaded island. Guided by these I completed what we supposed to be the circumference of the original island, by inserting pins of wood where the piles were deficient. Following the line thus indicated, the workmen were ordered to dig a deep trench round the mound, but to leave whatever wood-work would be exposed as much as possible *in situ*. Accordingly, this trench was completed, and on the following day, 15th October 1878, systematic explorations were begun in presence of Messrs. Turner, J. H. Turner, Cochran-Patrick, Anderson, Dr. Macdonald (Ayr), and myself.

The Excavations.—The space enclosed by this trench was of a somewhat circular shape, and about 25 yards in diameter. The trench was from 5 to 6 feet deep, and in many parts quite studded with wooden piles, mostly upright, but some slanting. Some of those slanting outwards were forked at the upper end, as if intended to counteract outward pressure. At the bottom of the trench, particularly on the north side, were found various kinds of brush-wood, chiefly hazel and birch, here and there trunks of trees, thick slabs of wood, and large stones. The most remarkable objects, however, were thick planks of oak about 6 feet long, with a large square-cut hole at each end. These were visible at various portions of the trench, and lying half-way down, some right across and others with one end sticking out from its inner side. At the north-east side there were two rows of these beams exposed, four in each row, and about 5 feet apart, measuring from the central line of each beam. One row was a little farther out than the other, and had upright piles, somewhat squarely cut, projecting through the holes. These horizontal beams pointed towards the centre of the Crannog, and appeared to keep the upper ends of the upright piles in position (see woodcut, Fig. 1, and the zincographs of the sketches B and C). Lying underneath these beams, and at right angles to them, were round logs of wood varying in length from 6 to 15 feet, which being caught as it were by the upright piles were prevented from falling outwards into the trench. Conterminous with the mortised beams, which were scarcely a foot under the surface, there was a rude and much decayed platform of rough planks and saplings resting on transverse beams of split oak trees. One of these transverse beams which I measured was $14\frac{1}{2}$ feet long and 8 inches broad, and for a few inches at each extremity was not split, so that the portion thus left acted as a catch (for the planks above it), like the flange on the wheel of a railway waggon. Digging underneath this platform, we passed through a compact mass of



PLAN & SECTIONS OF CRANNOG AT LOCHLEE.

clay, stones, beams of soft wood, and ultimately brushwood, underneath which, being on a level with the drain, we could not farther explore, owing to the oozing up of water.




FIG. 1.—Mortised Beam with portion of an upright (scale, $\frac{1}{2}$ inch to the foot).

We then commenced digging a few feet to the west of the centre of the mound, and soon cleared a trench from 3 to 4 feet deep, about a couple of yards broad, and directed almost due north and south. About 25 feet from the outer trench, measuring northwards, and 53 feet in the opposite direction, we came upon the south edge of a smooth pavement neatly constructed of flat stones. Judging from ashes, charcoal, and small bits of burnt bones which were here observed, that this pavement was a fireplace, we thought it better in the meantime to leave it intact; so we formed another trench at a width of 8 to 10 feet, at right angles to the former, and just touching the southern edge of the pavement, which was continued eastwards till it touched the platform already described. A circular trench was then made round this pavement, at a breadth of about 4 feet, leaving it, with its superincumbent soil, standing in the centre. We had thus a considerable space cleared out at a uniform level, with a small portion of the pavement visible, and an oval-shaped mass of soil about 4 feet in diameter above the rest of it. In the course of these excavations we found three upper quern stones, portions of other two, a wooden vessel in two fragments, a large quartz pebble (Fig 2), with markings as if made by a hammer on its surface, portion of a pointed horn (Fig. 53), some bones, one or two hammer-stones, and a boar's tusk.



FIG. 2.—Quartz Pebble.
Scale $\frac{1}{4}$.

Upon careful inspection we then discovered immediately above the

pavement, at a height of $2\frac{1}{2}$ feet, and rather less than a foot from the surface of the mound, another pavement similar to the former. These pavements rested on layers of clay which extended several feet beyond them, and gradually thinned out towards the edge. On a level with the lower pavement we found the remains of a series of massive stakes with square-cut ends, which appeared to surround it. They were very much decayed, and it was difficult to ascertain their original number, but seven were noted, which were kept standing in position for some time. Two well-shaped plank-like beams were lying horizontally at the east side of the lower pave-





FIG. 3.—DIAGRAM OF EXCAVATION.

- T, Outer circular trench with stuff thrown outwards.
- DD, Trenches near centre of Crannog.
- A, Mortised beams at north-east corner.
- E, Rude platform adjacent to mortised beams.
- P { Upper and lower pavements or hearths,
- LP { with stakes surrounding them.
- GG, Horizontal beams on level with lower pavement.
- B, Main drain passing through the mound.
- F, Undisturbed mound.
- CC, 2 Transverse beams lying across near the bottom of trench, with a square-cut hole in each, but not containing uprights.

ment and on a level with it. The distance between these upright stakes varied from 2 to 4 feet, and, as already noticed, they were not pointed at their bases but cut across. One, indeed, we found to have a small portion projecting from the centre of its base, which neatly mortised into a hole formed by a piece of wood, a flat stone, and some clay. On a subsequent occasion, when digging lower, we came upon another of these stakes which had pressed down the portion of clay on which it rested nearly a foot. The lower pavement slanted a little to the south-west, and it was also observed that the bottoms of the stakes were somewhat lower in that direction. On the north side they came close to the pavement, but on the south extended about 5 feet beyond it. The upper pavement was about a foot nearer the outer trench, in the direction of the wooden platform already described at its north-east corner, and hence it only partially covered the lower. It was carefully built with stones and clay round a wooden stake, corresponding with the series of stakes on a level with the lower pavement, and the layer of clay underneath it extended eastwards over one of the



Sketch A.—The Crannog after excavations were commenced.



Sketch B.—View of the Trench on the North Side.

horizontal beams above referred to. Both these pavements were neatly constructed of flat stones of various sizes, and about an inch and a half thick, and had a raised rim round them also formed of flat stones, but uniformly selected and set on edge. They were slightly oval in shape, and the major and minor axes of the lower one measured 5 and 4 feet respectively. Traces of other pavements between the upper and lower were observed, but before farther examination was made the whole mass above the lower or first-discovered pavement was trodden down by visitors.

At this stage I have to record the loss of the active services of Mr. Cochran-Patrick, who hitherto took notes and sketches of each day's proceedings. In consequence of his absence, owing to a protracted illness, and the inability of the other gentlemen to attend, this duty now fell on my inexperienced shoulders; and in giving this short account of the work I have only to say that, however imperfectly done, I have endeavoured, during very inclement weather, to procure as correct and faithful a record of the explorations as possible.

While making a tentative digging on the south side of the lower pavement, I ascertained that the soil underneath its corresponding layer of clay (which, by the way, extended much farther than any of the other layers) contained boars' tusks, broken bones, and charcoal. After digging for about 4 feet below the level of the pavement we came upon a layer of chips of wood as if cut by a hatchet, and below this a thick layer of turf with the grassy side downwards. Water here oozed up, but with the spade I could readily distinguish that underneath the turf there were large logs of wood extending farther in all directions than I could then ascertain. With a pole we took the perpendicular height of the level of the surface of the upper hearth above these logs, and it measured exactly 7 feet 9 inches, so that the greatest depth of the accumulated rubbish since the logs were laid, *i.e.* about centre of mound, would be about $8\frac{1}{2}$ feet. I then determined to clear the soil entirely away round the fireplace down to these logs, still keeping the surrounding trench at the same breadth as before, *viz.* 4 to 5 feet. While this was being done we inspected the stuff as it was removed, though I now regret this was not done more carefully, and found a great variety of manufactured implements of various materials. Observe that the portion here referred to is well defined,—above by the layer of clay corresponding to the lower or first-discovered pavement, and below by the newly-discovered log pavement. It is fortunate that this was the case, as it

turned out so prolific of relics that I have assigned to it the name of *relic-bed*. Amongst these were a spindle whorl (Fig. 27), two bone chisels (Figs. 30 and 31), and several pointed bone implements (Figs. 32 to 35), a polished stone celt (Fig. 16), a metal knife (Fig. 91), some implements of horn and wood, a fringe-like object manufactured of mossy fibres (Fig. 112), and a great many hammer-stones. Close to the pavement, but about 2 feet lower, we extracted the skeleton of an animal like that of a goat or sheep, the skull of which was entire, and had short horn-cores attached to it. The relic-bed was made up of partially decomposed vegetable matters, and could be separated into thin layers; the common bracken, moss, parts of the stems of coarse grass, heather, and large quantities of the broken shells of hazel nuts, were frequently met with. The bones were generally broken as if for the extraction of their marrow. The bed of chips of wood was several





FIG. 4.—Perpendicular Section through the Hearths, showing structure of the first-discovered pavement. The asterisks indicate the position of the three lowest fireplaces, or stony pavements.


inches thick, and extended more than half-way round, and had its maximum extent on the south-west side. The logs, all of which were oak, and cut at various lengths, from about 6 feet to 12 feet, seemed to radiate from the central line of the fireplace, like the spokes of a wheel. Underneath these logs were others lying transversely, and in some places a third layer could be detected by probing with a staff. None

of these layers of logs were disturbed at this stage of the proceedings.

A perpendicular section made of the central mass left standing, just touching the southern edge of the first-discovered pavement and looking towards the south, presented the appearance of stratified rocks of various colours, of which the above is a sketch. At the bottom is the log pavement; then in succession you see turf, clay, a black line of ashes; then again clay, another line of charcoal and ashes, and lastly the pavement imbedded in a thick layer of clay. The upper pavement and intermediate section are not represented, as they were demolished by visitors some days previous to the taking of the sketch. Upon removing this central mass of clay and ashes intervening between the stony pavement and the log pavement, Dr.



Sketch C.—Showing arrangement of Mortised Beams at North-east corner. Before this Sketch was taken some of the horizontal beams were removed.



Sketch D.


Macdonald and I made the important discovery that there were other two stony pavements corresponding exactly with the charcoal lines in the drawing. The one was 18 inches below the first-discovered pavement (or that figured in the drawing, and which has hitherto been called the lower pavement), and the other 16 inches still lower, and about a similar distance above the logs. Both these pavements were slightly oval in shape, about 4 feet in diameter, and beautifully built with flat stones and raised rims round them, precisely similar to the two already described. While in the act of demolishing these fireplaces we came upon another entire skull of a sheep or goat, with horn-cores attached to it, very like the one already mentioned, and found near the same place. At the north-east side, close to the fireplaces, were a few large stones built one above the other, and poised evenly with wedges of wood and stones. A little to the north of these stones, and about 4 feet from the base of the fireplaces, there was a portion of a large square-cut upright stake, a few feet long, resting on a flat circular board, like the bottom of a barrel, and supported by the log pavement. On the south side of the stones, and close to them, was a round flat piece of oak, with a hole in its centre, somewhat like a quern stone. My fist could just go through this hole, and when found it had a small plug of wood loosely fitting it. Near the same place portions of a large shallow dish made of soft wood, and a small bit of a three-ply rope of withs, were picked up. About 5 feet to the south of the centre of the pavements there was a portion of another upright stake resting on the log pavement. Although various other portions of decayed stakes and pins of oak were found while excavating within a few feet of the fireplaces, they were not so systematically arranged as to suggest the idea that they formed the remains of a surrounding hut, as was undoubtedly the case with those corresponding to the first-discovered pavement, and already described.

Before proceeding further, let me pause for a moment and endeavour to recall, in a few words, the salient points already arrived at, and the reasons that led to the next steps in our investigation. At a portion of the outer trench, it may be remembered, there was found, about a foot under the surface, a rude wooden platform resting on a complete solid basis, which then, naturally enough, was supposed to be the surface of the artificial island; and towards the centre a series of at least four hearths, one above the other. Now the level of the lowest hearth was about 3 feet below that of the wooden platform. What then was the cause of this difference in their level?


Did the central portion sink from the weight of the superincumbent mass, or was it originally constructed so? Again, although the fireplaces were nearly equidistant from the trench, measuring east and west (about 39 feet), they were eccentric in the diameter at right angles to this line, being, according to the measurements already given, about 14 feet north of the centre of the space enclosed by the trench. It was therefore evident that nothing short of the removal of a large portion of the central debris would be sufficient to give a correct idea of the log pavement and its surrounding structures, and disclose the treasures supposed to be hidden in it. Having adopted this resolution, the men were instructed accordingly, and at once commenced excavating directly south of the fireplaces. Part of the soil was thrown back into the empty space where the fireplaces stood, and the rest wheeled into the field beyond. The space thus inspected was about 25 feet broad, and extended southwards 31 feet from the fireplace. At its southern end we came upon a curved row of upright piles, most of which had the appearance of being dressed like square-cut beams, which penetrated deeply below the log pavement, and appeared to bound it in this direction. Amongst the relics found here were a pair of querns, portions of a wooden plate (Fig. 65), curious wooden implements (Figs. 80 and 81), a wooden hoe lying immediately above the log pavement, and close beside it some black vegetable substance like hair, and a few bone and horn implements. At its south-east corner we just touched the edge of a thick bed of ashes and bones, which will be described fully by-and-by.

We next removed a broad slice from the portion left standing to the west of the fireplace, and in consequence of certain peculiarities in the arrangement of numerous piles and horizontal beams observed at the north-west corner (see sketch D), we determined to remove altogether the broad ring now left between the outer trench and the space cleared in the interior.

It would be rather tedious to describe the various details of this work minutely; besides, it is not necessary in order to convey a general idea of the results obtained. It was a work of many weeks, of great toil and labour, and of much and varied comment by outsiders. One or two visits to the Crannog seemed to satisfy the curiosity of most people. There were, however, a few gentlemen whose enthusiasm never fagged, amongst whom I have specially to mention Mr. James Blackwood, who by constant attendance and counsel rendered valuable aid in the successful accomplishment of these excavations. It will therefore be more convenient to arrange the



Sketch E.—Showing Horizontal Beam in its original position.



Sketch F.—Curious Beams lying over Log Pavement.

further observations I have to make in detailing the progress of the excavations under the following heads:—

1. Log pavement and its surrounding wooden structures.
2. Ash and bone refuse-bed.

1. *Log Pavement and its surrounding Wooden Structures.*—After clearing the whole space enclosed by the original circular trench down to the level of the log pavement, it was still difficult to make out the general plan of its structure and that of the superstructure erected upon it. In the centre there was a rectangular space about 39 feet square, having its sides nearly facing the four cardinal points, and a flooring of thick oak beams somewhat like railway sleepers (see sketches D, E, and F). The fireplaces were nearly in its centre, but a little nearer its northern side. The wooden pavement was more carefully constructed at the south side than under the fireplaces; although quite close to the latter, on its eastern side, were found two beautiful slabs of oak, which were removed, and measured 12 feet by 1 foot 6 inches. These beams had a series of round holes extending along the whole length of one edge and about $5\frac{1}{2}$ inches apart. They appeared quite symmetrical, as if formed by an augur, and had a diameter of about 1 inch and a depth of 2 or 3 inches. Close to the southern side of this rectangular space there were exposed two very curious beams, 7 feet 9 inches apart, and lying over a thin layer of clay which intervened between them and the general log pavement. One was slightly curved, and both had a raised rim running along their whole length, and each had a horizontal hole through which the ends of a beam passed (see sketch F). Moreover, they had square-cut holes at right angles to the former, as if intended for uprights. The finding of a double-bladed paddle (Fig. 88) close to one of these beams suggested to the men the idea that they were the remains of a large boat, which, I must say, they very much resembled. Below this clay, and lying immediately over the log pavement, a long piece of a charred beam and the blade-half of an oar were found.

At the south-east and south-west corners of the wooden pavement the remains of what appeared to be partitions or walls, running northwards, were noticed (see sketches D and F). These were constructed of short uprights and long slender beams laid along the line of partition, and interspersed with a matty substance like bast, together with clay and earthy matter. At the south end, the logs forming the pavement were laid parallel to each other and in groups, some running north and south and

others at right angles to these. There were two and sometimes three layers of logs, each lying transversely over the other. At the ends of the upper layers there were here and there deeply penetrating piles slightly projecting above the flooring, with a horizontal beam stretched between and tightly jammed, apparently for the purpose of keeping the logs in position. About 12 or 13 feet from the south side a straight row of these piles and stretchers ran across the log pavement, which at first sight I took to be the remains of a partition (see Plan of Crannog).

Surrounding the rectangular log pavement, and just touching its four corners, we could trace a complete circle of firmly-fixed upright piles, arranged in two rows from 2 to 3 feet apart. They were all made of oak, apparently young trees, and projected several feet above the surface of the pavement, some of which were observed on the grassy surface of the mound before excavations were commenced. The most important thing, however, about them was the mode in which they were connected together by transverse beams, similar to, but ruder than, those already described as found at the north-east corner of the outer trench. Some of these beams were bevelled at the ends on their upper surfaces, especially the outer ends, and had two holes, one at each end, through which the pointed ends of the uprights projected. Sketch E shows one in its original position. At its inner end there were two strong wooden pins in a slanting direction, which entered the mortised hole through lateral grooves on its under surface and jammed the upright. The ends of these pins diverged and rested on clay, stones, and pieces of wood, and were evidently inserted for the purpose of supporting it. One transverse beam, observed on the west side not far from the former, and forming part of the same elevated platform, had horizontal holes, and lay on a solid mass of wood, stones, and vegetable matter, which was interposed between it and the rude log pavement (the rectangular oak pavement did not extend so far). Sketch D is a view taken from about the middle of the bank close to the south side of the log pavement, and looking north-west. In front are seen the remains of a partition, a little farther back the beam just described, and turning round at the far-off corner the beam represented in sketch E. Sketch F is also taken from the same point, but with the view looking north-east. In both these sketches portions of the oak pavement are seen before any of the logs were disturbed. All the raised beams found in position were from $2\frac{1}{2}$ to 3 feet above the log pavement, and were directed towards the centre of the

Crannog, so that they presented an appearance which reminded one of the spokes of a large wheel. On the north side this arrangement was very well marked, many of the beams being still *in situ*, and in one place long beams were found lying over them and running along the circumference of the Crannog, above which were distinctly seen remains of a wooden platform precisely similar to that already described, at the north-east corner, with which, indeed, it was continuous.

It is thus more than probable that a circular platform of wood, presenting a breastwork some 3 feet high, surrounded the central log pavement, except at its southern side, where no traces of the raised horizontal beams were found, and where also the uprights were mostly formed of thick boards, suggesting rather the idea of a division between the wooden pavement and the refuse-bed. On the west side the segment left between the side of the rectangular oak pavement was also covered with logs of wood, but much rougher, and made of a softer wood than oak. This ruder pavement extended below the transverse beams, and merged into a conglomerated mass of stones, brushwood, and beams.

External to this circle of piles and platform, at the sides, but more especially on the south, there were other piles which appeared to form circles. On the south side indications of two or three such circles were noticed, but on the north side we could not ascertain their extent, as the trench was not far enough out to expose them if they did exist. But this point, together with several others, we hope to determine by further excavations as soon as the weather permits.

About 25 yards south of the Crannog I observed a row of stakes in an open drain running towards the nearest land, and the tops of others in the grass, which from their arrangement suggested the idea that they were part of a gangway which formerly extended between it and the shore. This is one of those points not examined when our operations were interrupted by the severity of the weather.

The principal relics found beyond the inner circular row of piles consist of portions of a metal saw (Fig. 5), three flint implements (Figs. 24, 25, and 26), and two bundles of the fringe-like apparatus made of moss, besides those found in the refuse-bed.

2. *Refuse-Bed*.—The refuse-bed lay at the south-east side of the Crannog (see Plan), just at the corner of the central log pavement, and consisted chiefly of gritty ash, decayed bones, and vegetable matters. It extended

from the inner circle of stockades to within a few feet of the outer trench. Its breadth would be about 10 or 12 feet, and its length from east to west nearly double that. Its surface was from 3 to 4 feet below that of the field, so that its average depth would not be much short of 3 feet. Some important relics were found here, such as metal instruments and daggers, two fibulæ, several wooden vessels, and a few bone implements. It is noteworthy that the metal objects were all comparatively near the surface of the midden, and also that no boars' tusks or teeth were found in it except at its very lowest stratum.




FIG. 5.—Portions of Iron Saw. Scale $\frac{1}{4}$.

It was ascertained, through the careful inspection of the Rev. Mr. Landsborough, that some of the large bones, especially leg bones, contained in their cavities and interstices beautiful green crystals, of which I have here some fine specimens. According to the analysis of Mr. John Borland, F.C.S., F.R.M.S., they are Vivianite, regarding which he writes as follows:—

Vivianite.—A phosphate of iron, of somewhat indefinite composition, arising from the varying degree of oxidation of its base and state of hydration.

It is found in two conditions—Amorphous and Crystalline—the former, not uncommon, the latter rare. The amorphous has been frequently described under the name of blue iron earth; the crystalline was first named, and its relationship to the amorphous pointed out by Weiner in Hoffman's *Mineralogie*, about the year 1818 or 1820; the name being given in compliment to a Mr. Vivian of Cornwall, whose attention was first directed to the mineral.


It has also been found at Bodenmais in Berne, and in several localities in America.

Bischoff, in his *Elements of Chemical and Physical Geology*, as translated for the Cavendish Society, vol. ii. page 35, refers to a paper communicated by Von Carnall to a

meeting of the Niederrheinschen Gesellschaft at Bonn, on the 3d December 1846, wherein mention is made of a remarkable instance of the occurrence of this mineral in the Scharley calamine mine, Silesia, which it was presumed was originally worked for lead.

At a depth of 8 or 9 fathoms the skeleton of a man was found, and on breaking one of the bones crystals of vivianite became visible in the interior. A thigh bone, when sawn through, showed crystals projecting from the inner surface, and others which were loose. The length of time the bones had lain there was unknown. The working of the Scharley mine began in the thirteenth century, and at the date of the communication had been discontinued for nearly 300 years.

Bischoff, however, advances the suggestion that, as the shaft may have been sunk in search of calamine and not for the working of the lead, the age of the bones would not be so great as might at first be assumed. An analysis of the few crystals placed at my disposal, leads to the conclusion that their constitution may be represented by the formula



They belong to the monoclinic system of crystallography, and are of greenish-blue colour, becoming darker gradually on exposure to air.

In several places, when digging below the level of the log pavement and thrusting a staff a few feet downwards, gas bubbled up through the water, which, on applying a lighted match, ignited with considerable explosion. This on analysis was found to be carburetted hydrogen or marsh gas, with a small quantity of carbonic acid gas.

ADDITIONAL REPORT.

Before the stuff inside the circular trench was completely cleared away down to the level of the log pavement, our operations had to be abandoned on account of the severity of the weather. Meantime I drew up the above report from a careful journal kept of each day's proceedings and finds, and at the March meeting communicated it to the Society of Antiquaries of Scotland. But, notwithstanding the great variety of relics discovered, and the important information regarding the general structure of the Crannog which had been ascertained, there were still several points requiring further elucidation. Of these the following four were the chief, which may be thus succinctly stated:—

Firstly.—From a perusal of the Plan (Plate II.) it will be observed that at the south side there is at least one well-marked circular group of upright piles external to the one surrounding the log pavement; hence the question which pressed for solution was—Whether these groups merged into the one on the north side, or whether there was another corresponding to the former still farther out?

Secondly.—It was obvious that the island extended considerably beyond

our original circular trench, so that a correct estimate of it could not be formed from our present data.

Thirdly.—We had no reliable information regarding the composition of the island below the log pavement, as deeper digging could not be carried on to any extent without a pump, owing to the accumulation of water—the main drain being nearly on a level with it.

Fourthly.—The supposed gangway had to be examined.

As none of the above problems could be solved without additional excavations, it was clear that, in the interests of science, the work should be resumed. But here occurred a difficulty. As the drainage operations conducted on the farm of Lochlee had now come to a close, and the workmen were removed elsewhere, Mr. Turner gave instructions that no further outlay should be incurred in the investigation of the Crannog; and as, moreover, His Grace the late Duke of Portland, in answer to petitions from the Town Council and Philosophical Society of Kilmarnock, had given all the relics to the Corporation of this town, we felt it incumbent on us to restrict applications for more funds to carry on the explorations to the local authorities who had thus, without any expenditure whatever, become the owners of a rare and valuable collection of archæological relics. But the only result of our representation was a grant of £10 from the Philosophical Society; which, however, under the judicious management of Mr. Blackwood, together with a few private contributions kindly given by Messrs. James Blackwood, James Craig, Charles Reid, and Thomas Kennedy, enabled us to bring the work to a tolerably satisfactory conclusion.

Upon resuming operations in the month of April we directed the workmen to clear away the soil at the north-west corner, where it will be remembered two mortised beams were exposed in the original circular trench. These were then supposed to be part of the well-defined circle running along the north side, but now, however, they were found to be from 8 to 10 feet external to this circle. Upon careful inspection of the wooden structures at the north-east corner, we found that the inner termination of the platform, conterminous with the elaborate mortised beams at the outer trench, was supported by transverse mortised beams similar to those in the general circle—one of which is figured in Sketch E. There could, indeed, be hardly any doubt that at this corner two circular rows of uprights with their transverses gradually merged into one on the north.

Hence it became a very feasible supposition that those mortised beams at the north-west corresponded with the outer ones at the north-east side, and formed part of an outer circle which also merged into the one on the north. But upon extending excavations so as to expose them completely, this supposition was not borne out. They were in a slanting position, about 15 feet apart, and their outer ends on a level with the log pavement. Half-way between them there was another beam lying in a similar position, but it contained no mortised holes. Their lower or outer extremities were jammed against a sort of network of logs, some running along the circumference and others slanting rapidly downwards, while their inner ends were raised about 2 feet and rested on a mass of stones and logs of wood. The outer hole of the beam, marked H on the Plan, contained a portion of an upright, which had, however, more the appearance of being used as a peg to keep it down. The other mortised holes appeared to be of no use whatever, so that these beams were intended for, and probably served, a different purpose before being placed in their present position.

It was now evident that the margin of the Crannog was near, as at the upper or surface portions of the trenches we encountered a layer of fatty clay, which had undoubtedly been deposited by the surrounding lake. This layer gradually got thicker as we advanced outwards, and the dark vegetable debris and wood-work, forming the substance of the island, shelved downwards underneath it. A foot or two beyond the outer end of the beam G, this clay was three feet 6 inches thick. Pursuing our investigations northwards towards the point A (see Plan), we came upon a dense wooden structure formed of stakes, logs, planks, and brushwood, woven together in the most fantastic fashion, which also shelved downwards below the clay. At the point A, this clay was no less than 6 feet deep. Here the water oozed up, but there was no doubt, from the above appearances and the rapidly slanting wood-work,—some stakes now running downwards and outwards at an angle of about 45° ,—that we had reached the sloping margin of the island. Imbedded in the clay near the point A were found two pieces of charred stakes, one $3\frac{1}{2}$ feet and the other nearly 6 feet deep. About half-way between the margin of the Crannog and the circle of stakes surrounding the log pavement, and 5 feet deep, the workmen discovered, amongst decayed brushwood and chips of wood, a beautiful trough cut out of a single block of wood. It was quite whole when found, and showed very distinctly the markings of the gouge-like instrument by which it was

fashioned. It was made of soft wood, which, upon drying, quickly crumbled into dust, but Fig. 6, engraved from a photograph taken by Mr. Blackwood soon after its discovery, gives a very good idea of it.

Instead of pursuing the excavations farther in this direction, our means being quite inadequate to clear away the soil at a uniform breadth of about 20 feet all round, we resolved to form a number of cuttings projecting outwards, at suitable intervals, from the circumference of the space already





FIG. 6.—Wooden Vessel. Scale $\frac{1}{2}$.

cleared. These cuttings (see Plan, A, B, C, D, and E) varied from 10 to 20 feet in breadth, and extended outwards in each case till we were satisfied, from the encroachment of the surrounding clay, that the margin of the Crannog had been reached. On the north and north-east trenches the wood-work assumed a most extraordinarily intricate arrangement. It consisted mostly of young trees and branches of birch, the bark of which was quite fresh-like and distinctly recognisable, mixed with stakes and logs, some of oak, running in all conceivable directions, and constituting a protective barrier, proof, I should say, against the most violent action of both wind and water. At its inner side, close to the original circular trench, this peculiar structure, which we called trestle-work, was only about 18 inches below the surface, but sloped downwards, at first gradually and then rapidly till it disappeared under the clay. At the north-east corner it extended about 20 feet beyond the group of mortised beams, so that the latter could not have been a landing-stage, a theory which was long current amongst the quidnuncs. Near the outer edge of the cutting at this corner (C), there was observed, mixed up with the trestle-work, an oak beam, having two square mortised holes, which must have been originally adapted for a higher purpose than the humble function of packing, which it here served. Lying over the wood-work, and less than two feet below the surface, I picked up portions of a leather boot or shoe, with fragments of a leather lace, crossed

diagonally, which had tied it in front; also a small wooden stave like that of a milk-cog. Deeper, and near the outer edge, the workmen found a much corroded dagger or spear-head. At the south-east corner D, a series of upright piles with the remains of a transverse was exposed, but the trestling work had dwindled down to mere brushwood, with an occasional beam mixed up with it. Here the workmen found a thin board made of hard wood, resembling a portion of the end of a small barrel, with diagonal and other markings lightly cut upon it (see Fig. 7).

FIG. 7.—Scale $\frac{1}{4}$.

On the south side, external to the refuse-bed, quite a forest of piles was encountered, together with the charred remains of a few mortised transverses and some long beams. From a glance at the Plan it will be observed that, at the cutting E, the outer circle of these uprights curves outwards as if to meet the line of the supposed gangway. It would have been more satisfactory if a larger portion had been here cleared away, and the junction of the gangway with the Crannog more accurately determined; but at this particular spot there was such an immense accumulation of rubbish, formerly wheeled from the interior of the mound, that the labour of removing it was too great. The superficial layer of fatty clay appeared here also, and at the point E measured 2 feet 3 inches in thickness. The horizontal beams found at this side, some of which are indicated on the Plan, were from 4 to 5 feet deep, and about the same level some important relics were dug up. Near the point M were found a bridle bit (Fig. 109), a bronze dagger-like instrument (Fig. 106), and a four-ply plaited object made of the long stems of a moss similar to those of which the fringe-like article was manufactured, and referred to on a former occasion. It had the tapering appearance of a cue or pigtail; and measured 17 inches long and about 2 broad in the middle. Near it, and about 5 feet deep, an iron hatchet (Fig. 8), much corroded, but still retaining a small bit of the wooden handle, was discovered by one of the workmen. A few feet to the east of this, and lying across the line of the gangway, a large oar was exposed to view. It was quite whole when found, but, being made of soft wood, was so fragile that it broke into pieces in the act of removal. Its extreme length was $9\frac{1}{2}$ feet, and the blade measured 3 feet by 14 inches. The round handle was perforated about its middle by two small holes a couple of inches apart.

We made no projecting trench on the south-west side owing to the proximity of a network of recent drains, which, if disturbed, might injuriously interfere with the drainage of the field, but from the general appearance of the wood-work we were satisfied that this portion was symmetrical with the rest of the Crannog. The ends of flat beams jutted out at the bottom of the cutting immediately on the west side, which clearly indicated a parallelism with the three exposed a little farther north; and towards the south one or two uprights belonging to the outer series were visible.



FIG. 8.—Iron Hatchet. Scale $\frac{1}{2}$.




FIG. 9.—Iron Knife. Scale $\frac{1}{2}$.

Having now collected the chief facts regarding the log pavement, its surrounding and superincumbent structures, and the extent of the Crannog, we determined to sink a shaft at the lower end of the log pavement—*i.e.* about the centre of the Crannog—for the purpose of ascertaining, if possible, the thickness, composition, and mode of structure of the island itself.

This shaft was rectangular in form, and large enough to allow three men to work in it together. After removing the three or four layers of oak planks which constituted the log pavement, we came upon a thin layer of brushwood and then large trunks of trees laid in regular beds or layers, each layer having its logs lying parallel to each other, but transversely and sometimes obliquely to those of the layer immediately above or below it. At the west end of the trench, after removing the first and second layers of the log pavement, we found part of a small canoe hollowed out of an oak trunk. This portion was 5 feet long, 12 inches deep, and 14 inches broad at the stern, but widened towards the broken end, where its breadth was 19 inches. This was evidently part of an old worn-out canoe, thus economised and used instead of a prepared log. Much progress in this kind of excavation was by no means an easy task, as it was necessary to keep two men constantly pumping the water which copiously flowed from all directions into the trench, and even then there always remained some at the bottom. As we advanced downwards we encountered layer upon layer of the trunks of trees with the branches closely chopped off, and so soft that the spade easily cut through them. Birch was the prevailing kind of wood, but occasionally beams of oak were found, with holes at their extremities, through which pins of oak penetrated into other holes in the logs beneath. One such pin, some 3 or 4 inches in diameter, was found to pass through no less than four beams in successive layers, and to terminate ultimately in a round trunk over 13 inches in diameter. One of the oak beams was extracted entire, and measured 8 feet 3 inches in length and 10 inches in breadth, and the holes in it were 5 feet apart. Others were found to have small round projections, which evidently fitted into mortised holes in adjacent beams.

Down to a depth of about 4 feet the logs were rudely split, but below this they appeared to be round rough trunks, with the bark still adhering to them. Their average diameter would be from 6 inches to 1 foot, and amongst them were some curiously gnarled stems occasionally displaying large knotty protuberances. Of course the wood in the act of digging the trench was cut up into fragments, and, on being uncovered, its tissues had a natural and even fresh-like appearance, but in a few minutes after exposure to the air they became as black as ink. Amongst the debris thrown up from a depth of 6 feet below the log pavement I picked up the larger portion of a broken hammer-stone or polisher, which, from the worn

appearance presented by its fractured edges, must have been used subsequently to its breakage. After a long and hard day's work we reached a depth of 7 feet 4 inches, but yet there were no indications of approaching the bottom of this subaqueous fabric. However, towards the close of the second day's labour, when the probability of total discomfiture in reaching the bottom was freely talked of, our most energetic foreman announced, after cutting through a large flat trunk 14 inches thick, that underneath this he could find no trace of further wood-work. The substance removed from below the lowest logs consisted of a few twigs of hazel brushwood, imbedded in a dark, firm, but friable and somewhat peaty soil, which we concluded to be the silt of the lake deposited before the foundations of the Crannog were laid. The depth of this solid mass of wood-work, measuring from the surface of the log pavement, was 9 feet 10 inches, or about 16 feet from the surface of the field.

Amongst the very last spadefuls pitched from this depth was found nearly one-half of a well-formed and polished ring made out of shale, the external and internal diameters of which were $3\frac{1}{2}$ and 2 inches respectively.

Gangway.—The probable existence of some kind of communication between the Crannog and the shore of the lake was suggested at a very early stage of these investigations by the discovery of a few oak piles in a drain outside the mound, and to clear up this mystery was now the only problem of importance that remained to be solved. We commenced this inquiry by excavating a rectangular space, 30 feet long, 16 feet broad, and 3 to 4 feet deep, in the line of direction indicated by the piles (marked O on the Plan), and exposed quite a forest of oak stakes. Other trenches, marked P and Q respectively, were then made with exactly similar results. The stakes thus revealed did not at first appear to conform to any systematic arrangement, but by-and-by we detected, in addition to single piles, small groups of three, four, and five, here and there at short intervals. This observation, however, conveyed little or no meaning, so that we could form no opinion as to the manner in which they were used. No trace of mortised beams was anywhere to be seen. In all the trenches the stuff dug up was of the same character. First or uppermost there was a bed of fine clay rather more than 2 feet thick, and then a soft dark substance formed of decomposed vegetable matters. The source of the latter was evident from the occurrence in its upper stratum of large quantities of leaves, some stems, branches, and the roots of stunted trees, apparently in

situ. The tops of the piles in the trench Q were from 2 to 3 feet below the surface of the field, but they appeared to rise gradually as we receded from the Crannog, and in the trench next the shore one or two were found on a level with the grass. About 4 feet deep the stuff at the bottom of the trench was so soft that a man could scarcely stand on it without sinking ankle deep. It was not nearly so heavy as ordinary soil, but more adhesive and of a nutty brown colour, which, on exposure, quickly turned dark. Notwithstanding the flabbiness of this material the piles felt quite firm, and this fact, together with the experience derived from our examination of the deeper structures of the island, led to the supposition that the piles would be found to terminate in some more solid basis than had yet been made apparent. To remove all doubts on this point, though a long iron rod could be easily pushed downwards without meeting any resistance, we ordered a large deep shaft to be dug in the line of the piles, and the cutting Q, being nearest the Crannog, was selected for this purpose. This was accomplished with much difficulty, but we were amply rewarded by coming upon an elaborate system of wood-work, which I found no less difficult to comprehend than it now is to describe. The first horizontal beam was reached about 7 feet deep, and for other 3 feet we passed through a complete network of similar beams, lying in various directions. Below this, *i.e.* 10 feet from the surface, the workmen could find no more beams, and the lake silt became harder and more friable. We then cleared a larger area so as to exhibit the structural arrangement of the wood-work. The reason of grouping the piles now became apparent. The groups were placed in a somewhat zigzag fashion near the sides of the gangway, and from each there radiated a series of horizontal beams, the ends of which crossed each other and were kept in position by the uprights. One group was carefully inspected. The first or lowest beam observed was right across, the next lay lengthways and of course at right angles to the former, then three or four spread out diagonally, like a fan, and terminated in other groups at the opposite side of the gangway, and lastly, one again lay lengthways. (See Plan and Sections.) Thus each beam raised the level of the general structure the exact height of its thickness, though large lozenge-shaped spaces remained in the middle quite clear of any beams. The general breadth of the portion of this unique structure examined was about 10 feet (but an isolated pile was noticed farther out), and its thickness varied from 3 to 4 feet. A large oak plank, some 10 feet long,

showing the marks of a sharp cutting instrument by which it was formed, was found lying on edge at its west side, and beyond the line of piles, but otherwise no remains of a platform were seen. All the beams and stakes were made of oak, and so thoroughly bound together that, though not a single joint, mortise, or pin was discovered, the whole fabric was as firm as a rock. No relics were found in any of the excavations along the line of this gangway.

RELICS.

The remains of human industry found during the excavations of the Lochlee Crannog, calculated to throw light on the civilisation and social economy of its occupiers, are very abundant. They comprise a large variety of objects, such as warlike weapons, industrial implements, and personal ornaments, made of stone, bone, horn, wood, metal, etc. In the following description of them I have adopted, as perhaps the most convenient, the principle of classification suggested by the materials of which they are composed.

I. OBJECTS MADE OF STONE.

Hammer-Stones.—A great many water-worn pebbles, of a similar




FIG. 10.—Hammer-Stone. Scale $\frac{1}{2}$.




FIG. 11.—Hammer-Stone. Scale $\frac{1}{2}$.

character to those found in the surrounding glacial drift and river-courses, which were used as hammers, or pounders, or rubbers, were discovered in the débris all over the Crannog, but more abundantly in the deeper layers of a small circular area round the hearths, corresponding to what I have on a former occasion designated the relic-bed. As typical specimens of such implements I have collected no less than nineteen. Of these fourteen are of a somewhat elongated oval shape, and were used at one or both ends.

They vary considerably in size, the major diameter of the largest measuring 6 inches, and the rest graduating downwards to about the half of this. Two are flat and circular, and show friction markings all round; while other three show signs of having been used on their flat surfaces only. The one represented in Fig. 10, with markings on its flat sides, is divided into two portions, each of which was picked up separately, about a yard asunder, and found to fit exactly. It would thus appear that it was




FIG. 12.—Hammer-Stone. Scale $\frac{1}{2}$.




FIG. 13.—Hammer-Stone. Edge view of the previous implement. Scale $\frac{1}{4}$.

broken while being used on the Crannog, and then pitched aside as useless. Some are slightly chipped at one end, others have small finger-like depressions, as if intended to give the user a better grip (Figs. 11, 12, 13).

Heating-Stones and Sling Stones.—A large number of round stones, varying in size from half an inch to three inches in diameter, some having their surfaces roughened and cracked as if by fire, but others presenting no marks whatever, were met with. The former might have been used as heating-stones for boiling water in wooden vessels,—the only ones found on the Crannog,—the latter as sling stones or missiles.

Anvil.—About a foot below the surface and a few feet to the north of the upper fireplace, a beautiful quartz pebble was found by Mr. Cochran-Patrick, which has the appearance of being used as an anvil. It is discoidal

in shape, but a little more rounded on its upper surface, and measures 27 inches in circumference. It is just such an implement as a shoemaker of the present day would gladly pick up for hammering leather (see Fig. 2).

Sharpening-Stones or Whetstones.—Four or five whetstones were collected from various parts of the island, two of which are here engraved (Figs. 14, 15). They are made of a hard smooth claystone, one only being made of a fine-grained sandstone, and vary in length from 5 to 7 inches.




FIG. 14.
Sharpening-Stones.




FIG. 15.
Scale $\frac{1}{2}$.





FIG. 16.—Stone Celt.
Scale $\frac{1}{2}$.



Besides these *hones* we noticed a large block of a coarse sandstone, having one side covered with deep ruts, supposed to be caused by the sharpening of pointed instruments.

Polished Celt.—Only one polished stone celt was found. It is a wedge-shaped instrument, $5\frac{1}{2}$ inches long, and 2 broad along its cutting edge, which bears the evidence of having been well used, and tapers gently towards the other end, which is round and blunt. It is made of a hard mottled greenstone (Fig. 16).

Circular Stone.—Fig. 17 represents a peculiar circular implement manufactured out of a bit of hard trap rock. It presents two flat surfaces, 3 inches in diameter, with a round periphery, and is $1\frac{3}{8}$ inch thick.

Querns.—Five upper, and portions of several lower, quern-stones were disinterred at different periods during these excavations, all of which, however—with the exception of the pair found over the log pavement, and an




FIG. 17.—Circular Stone. Scale $\frac{1}{2}$.

upper stone observed towards the west margin of the Crannog, but of which I could find no definite information, as it was stolen soon afterwards,




FIG. 18.—Upper Quern-Stone. Scale $\frac{1}{2}$.




FIG. 19.—Upper Quern-Stone. Scale $\frac{1}{2}$.

—were imbedded in the debris not far from the site of the fireplaces, and superficial to the level of the middle or first discovered pavement. Some are made of granite, while others appear to be made of schist or hard whinstone. Besides the central cup-shaped hole, which, of course, all the upper ones possess, one has a second hole slanting slightly inwards, another has a similar hole but only half-way through, while a third has no second hole at all, and a fourth shows a horizontal depression at its side. The one without a second hole on its surface is nearly circular, but the others are all more or less elongated. Their largest diameters vary from 13 to 14 inches. One is broken into three portions, which, though dug up separately, fit exactly. It measures 14 inches by 11, and the central hole




FIG. 20.—Lower Quern-Stone.
Scale $\frac{1}{2}$.

is wide, being no less than 5 inches across. From the upper edge of this hopper-like cavity the stone slopes gently all round to the circumference of its under surface, and the second hole completely perforates it.

Cup-marked Stones.—Two portions of red sandstone, having cup-shaped cavities about 1 inch deep and 3 inches diameter, were found amongst the



FIG. 21.—Cup Stone. Scale $\frac{1}{8}$.




FIG. 22.—Cup Stone. Scale $\frac{1}{8}$.



FIG. 23.—Stone. Scale $\frac{1}{2}$.

debris. One of them was lying underneath a horizontal raised beam at the north side of the Crannog. The position of the other was not determined. The latter has two circular depressions or grooves round the cup, the outer of which is about 9 inches in diameter (Figs. 21 and 22).

Other Stone Relics.—Besides the above there are a few other articles of stone bearing the evidence of design, which I must just allude to.

1. A large stone having a deep groove all round about it, as if intended for a rope. The larger portion of this groove was caused by atmospheric agencies, and only one side could be positively stated to have been artificially formed.

2. A thin oval-shaped disc of a light black substance like shale, measuring 3 inches by 2 inches.

3. Portion of a polished stone 2 inches long, having a narrow groove surrounding one end, and through which it appears to have been broken (Fig. 23).

Flint Implements.—Only three flint objects have been discovered on the Crannog.

1. A beautifully chipped horseshoe-shaped scraper, found at north-east corner, on a level with the raised wooden platform. It is made of a whitish flint, and measures 1 inch in length by $1\frac{1}{4}$ in breadth (Fig. 24).

2. A large knife-flake, 3 inches long and $1\frac{1}{4}$ broad, which appears to have been much used at the edges and point. It is also made of a whitish flint, and presents three smooth surfaces above and one below (Fig. 25).

3. The end portion of another flake, made of a dark flint (Fig. 26).




FIG. 24.—Flint Scraper. Scale $\frac{1}{4}$.




FIG. 26.—Posterior of Flint Flake. Scale $\frac{1}{4}$.




FIG. 25.—Flint Flake. Scale $\frac{1}{4}$.

Spindle Whorls.—Three small circular objects, supposed to be spindle




FIG. 27.—Clay Spindle Whorl. Scale $\frac{1}{4}$.




FIG. 28.—Clay Spindle Whorl. Scale $\frac{1}{4}$.




FIG. 29.—Stone. Scale $\frac{1}{4}$.

whorls, are here classed together. Two are made of clay, and were found in the relic-bed near the fireplaces. The smaller of the two is $1\frac{1}{4}$ inch in diameter and has a small round hole in the centre; the other has a diameter of $1\frac{3}{4}$ inch, but is only partially perforated, just sufficient to indicate that the act of perforation had been commenced but not completed (Figs. 27 and 28). The third object is a smooth, flat, circular bit of stone,

$1\frac{1}{2}$ inch in diameter and $\frac{1}{2}$ an inch thick, and is perforated in the centre like a large bead (Fig. 29).

II. OBJECTS OF BONE.

Upwards of twenty implements made of bone have been added to the general collection, all of which were found either in the relic-bed or refuse-heap. The following are the most interesting:—




FIG. 30. FIG. 31.
Bone Chisels. Scale $\frac{1}{2}$.

1. Two Chisels or Spatulæ. One (Fig. 30) is made of a split portion of a shank bone, and measures $5\frac{1}{4}$ inches long and rather less than $\frac{1}{2}$ an inch broad. It is very hard, flat, and smoothly ground at one end, and has a sharp rounded edge, which extends farther on the left side, thus indicating that it was adapted for being used by the right hand. The other (Fig. 31) is a small leg bone obliquely cut so as to present a smooth polished surface. Its length is 4 inches and diameter $\frac{1}{2}$ inch.

2. Five small objects presenting cut and polished surfaces, three of which are sharp and pointed (Figs. 32, 35, 36); one (Fig. 33) appears to have been notched at the end and there broken off; and the last (Fig. 34) presenting well-cut facets, is fashioned into a neat little wedge.




FIG. 32. FIG. 33. FIG. 34. FIG. 35. FIG. 36.
Bone Implements. Scale $\frac{1}{2}$.

3. Fig. 37 represents a tiny little spoon only $\frac{3}{4}$ of an inch in diameter, and worn into a hole in its centre. The handle portion is round and straight, and proportionally small, being only two inches long and about the diameter of a crow-quill. Fig. 38 shows another portion of bone somewhat spoon-shaped.

4. Fig. 39 is a drawing of a neatly formed needle-like instrument. It



FIG. 37.—Bone. Scale $\frac{1}{2}$.



FIG. 38.—Bone. Scale $\frac{1}{2}$.



FIG. 39.—Bone. Scale $\frac{1}{2}$.

is flat on both sides, finely polished, and gradually tapering into points at its extremities. The eye is near its middle, being 2 inches from one end



FIG. 40.—Bone.
Scale $\frac{1}{2}$.




FIG. 41.—Bone.
Scale $\frac{1}{2}$.



FIG. 42.
Bone Implements.



FIG. 43.
Bone Implements.




FIG. 44.
Scale $\frac{1}{2}$.



FIG. 45.—Bone.
Scale $\frac{1}{2}$.

and $1\frac{1}{2}$ inch from the other, and large enough for strong twine to pass through it.

5. Two curious implements, smoothly polished and forked at one end, one of which is represented in Fig. 40. They are both about $5\frac{1}{2}$ inches long, and precisely similar to each other in every respect.

6. Fig. 41 is a drawing of a portion of bone artificially made into a sharp-pointed instrument. Several similar objects were met with, but as they showed no distinct workmanship I have not preserved them.

7. A great many small ribs, about 6 or 7 inches in length, and portions of others, were found to have the marks of a sharp cutting instrument by which they were pointed and smoothed along their edges, the use of which can only be conjectured. Figs. 42 to 44 are drawings of some of them. Fig. 45 shows a larger rib-bone, highly polished all over and notched round one end.

8. Lastly, there are several portions of round bones which appeared to have been used as handles for knives or such like instruments.

3. OBJECTS OF DEER'S HORN.

Out of about forty portions of horn, chiefly of the red deer, bearing





FIG. 46.—Horn. Scale $\frac{1}{3}$.



FIG. 47. Scale $\frac{1}{3}$.

evidence of human workmanship, I have selected for illustration sixteen of the most characteristic specimens. Two hammers or clubs, formed from the lower portions of the beam antlers of stags by cutting or sawing off

their branches. One (Fig. 46) is 11 inches long and has about 3 inches of the brow branch of the horn projecting from it, round the root of which there is a groove as if intended for a string. The markings on the back portion indicate very distinctly that it was used for hammering some hard substance. Fig. 47 is a still more formidable weapon, being 14 inches long and 9 inches in circumference near the burr. Portion of the latter is worn completely away by use. Fig. 48 is the root portion of a

FIG. 48.—Horn. Scale $\frac{1}{3}$.FIG. 49.—Horn. Scale $\frac{1}{3}$.

large antler, having one surface made smooth, and containing two circular depressions and a few deeply penetrating marks as if made by a sharp

FIG. 50.—Horn.
Scale $\frac{1}{3}$.FIG. 51.—Horn.
Scale $\frac{1}{3}$.FIG. 52.—Horn.
Scale $\frac{1}{3}$.FIG. 53.—Horn.
Scale $\frac{1}{3}$.

instrument. Fig. 49 is portion of a horn with a groove round one end. Figs. 50, 51, 52, represent split portions of horn sharpened at the point like daggers. Figs. 53, 54, 55, are three pointed portions or tynes, two of which were probably used as spear-heads, and contain small holes at the cut ends

by which they were fastened on handles. Fig. 56 represents portion of horn (roe) cut at both ends with a hole near its centre, which, however, does not pass through; while Fig. 57 shows another small pointed and curved portion, with a hole, about 1 inch from the end, passing completely through



FIG. 54.—Horn.



FIG. 55.—Horn.



FIG. 56.—Horn.


Scale $\frac{1}{3}$.

FIG. 57.—Horn.

it. Fig. 58 was evidently used as a hook, as the stem portion is smoothly bored and made suitable for a handle. Fig. 59 is a small portion made



FIG. 59.—Horn.

Scale $\frac{1}{3}$.FIG. 58.—Horn. Scale $\frac{1}{3}$.FIG. 60.—Horn. Scale $\frac{1}{3}$.FIG. 61.—Horn. Scale $\frac{1}{3}$.

into a ring. The last object figured under this head is a *bodkin* 8 inches long, finely polished all over, and pointed at the tip as if with a sharp knife. The other end, which is large and circular, is pierced by a round hole, by means of which it might have been strung to one's person (Fig. 61).

The portions of horns not figured consist of clubs, pointed tynes, short thick pieces, etc., all of which show the marks of tools upon them.

Besides the above there are a great many fragments of horns, some of which, as mentioned by Professor Rolleston in his report on the fauna, might have been used as implements. One of the fragments labelled by this gentleman as being part of the horn of a reindeer, is a short flat tyne, and bears the evidence of having been sawn off. It is 6 inches long and 2 broad at the base.




FIG. 62.—Portion of Horn Handle found along with Iron Knife. Scale $\frac{1}{2}$.

4. OBJECTS OF WOOD.

A large assortment of wooden implements was found chiefly in the refuse-heap, and in the portion of debris corresponding to the area of the log pavement. Owing to the softness of the wood and the large amount of moisture contained in its fibres, most of these relics have already shrunk to less than half their original bulk, and become so changed, though they were kept in a solution of alum for several weeks, that I am doubtful of being able to preserve them at all. Seeing the rapid decay they were undergoing, I got full-sized pencil-drawings taken of them, from which the accompanying illustrations have been engraved. They consist of bowls, plates, ladles, a mallet, a hoe, clubs, pins, etc., together with many objects entirely new to me, but which apparently had been used for culinary or agricultural purposes.

1. *Vessels*.—Fig. 63. Portions of a circular bowl, diameter $7\frac{1}{2}$ inches,



FIG. 63.—Scale $\frac{1}{2}$.




FIG. 64.—Scale $\frac{1}{2}$.



FIG. 65.—Scale $\frac{1}{2}$.




FIG. 66.—Scale $\frac{1}{2}$.

depth (inside) 3 inches, thickness $\frac{1}{4}$ inch at edges and $\frac{1}{2}$ inch at bottom; bottom flattened, 3 inches diameter (outside). Other fragments of vessels similar to the above were found.

Fig. 64. Flat dish, like scallop shell, with a ring handle, length 7 inches, breadth 6 inches, thickness varies from $\frac{3}{8}$ inch to a thin edge. Quite whole when disinterred from refuse-heap.

Fig. 65. Portions of a plate, diameter nearly 10 inches, thickness $\frac{3}{8}$ of an inch, depth barely 1 inch ; a well-formed bead ran round the rim.

Fig. 66. Ladle. Bowl nearly complete, length 10 inches, breadth 8 inches, depth (inside) $3\frac{1}{2}$ inches, thickness 1 to $\frac{1}{2}$ inch ; portion of handle still remaining.

Fig. 6. Trough, $11\frac{1}{2}$ inches long, 6 broad, and $2\frac{1}{2}$ deep (inside). Projecting ears $3\frac{1}{2}$ inches long. Thickness of sides varied from $\frac{1}{4}$ to 1 inch. Had three rectangular holes in bottom, of which the centre one was larger, measuring 1 by $1\frac{1}{2}$ inch.

All the above vessels were made of soft wood, with the exception of the portions of bowls, which were of oak.

2. *Clubs, pins, etc.; all of which were made of oak.*—Fig. 67. Club,




FIG. 67.



FIG. 68.



FIG. 69.

Scale $\frac{1}{2}$.



FIG. 70.



FIG. 71.



FIG. 72.

2 feet long, 3 inches broad, and $1\frac{1}{2}$ thick ; circumference of handle $3\frac{1}{2}$ inches.

Fig. 68. Club, $14\frac{1}{2}$ inches long and greatest breadth $2\frac{1}{2}$.

Fig. 69. Sword-like implement, 20 inches long and $2\frac{1}{2}$ broad ; sharp at point and edges.

Fig. 70. Implement with round handle and thin blade, containing teeth at one edge, length 15 inches and breadth $1\frac{1}{2}$.

Fig. 71. Knife-shaped instrument, blade 10 inches long by 1 broad.

Fig. 72. Round polished stick with charred end.

Figs. 73 to 77 represent the various kinds of pins which were abundantly met with all over the Crannog.




Fig. 77 is 14 inches long, 2 broad, and $1\frac{1}{8}$ thick; the hole in it measures $1\frac{5}{8}$ by $\frac{3}{4}$ inch.

3. *Agricultural Implements, etc.*—Fig. 78. Mallet, head of which is 10 inches long and 16 in circumference, handle is 9 inches long and 5 in circumference.




FIG. 78. Scale $\frac{1}{8}$.



FIG. 79.—Scale $\frac{1}{8}$.




FIG. 80.—Scale $\frac{1}{8}$.

Fig. 79. Scraper or hoe, 10 inches long and 4 broad; was cut out of a trunk of a tree, and had natural branch formed into a handle.

Fig. 80. Implement like boot or ploughshare, 10 inches long and 12 round the middle.

Fig. 81. Polished implement, 9 inches long, $5\frac{1}{4}$ broad, and 2 thick (through the hole). The lower surface is flatter than the upper, and slightly curved upwards longitudinally.

Fig. 82. Horseshoe-shaped implement, 2 inches thick and 2 deep at curve: greatest breadth $4\frac{1}{2}$ inches from the tips of the horns; depth of hollow $3\frac{1}{2}$ inches.




FIG. 81.



FIG. 82.

Scale $\frac{1}{8}$.

FIG. 83.



FIG. 84.

Fig. 83. Portion of a circular implement, about 8 inches in diameter, and having a round hole in centre and ten small holes along the margin (if the circle were completed at same rate there would be fifteen holes in the series). The centre hole was $1\frac{1}{4}$ inch in diameter, and had a tightly-fitting plug when found. The other holes were narrower in the middle, and large enough to admit of a common lead pencil to pass through. They also slanted slightly inwards, so that their axes, if prolonged, would meet at a common point about 6 inches from the centre hole, in the line of its axis.

Fig. 84. Circular wheel, with hole in its centre and pointed teeth at circumference; diameter $3\frac{1}{4}$ inches, ditto of hole $\frac{3}{4}$ inch, thickness $\frac{1}{2}$ an inch.

Fig. 85. Smooth piece of wood, 25 inches by 15, with square hole at top and two round ones at sides. Several other portions of boards, containing curious shaped holes, were found.




FIG. 85.



FIG. 86.

Scale $\frac{1}{2}$ inch to foot.

Fig. 86. Piece of wood like the back of seat in a canoe, 28 inches long by 9 broad. It has a raised bead round the margin.

Fig. 1 shows one of the mortised beams with portion of its upright, taken from the outer trench at north-east corner.

Many other pieces of wood have been collected illustrating various points of interest. One has a square hole showing marks of a gouge; another has a similar hole, but indicates that it was cut out by a straight-edged implement like a small hatchet; while a third, being part of the round tenon of a prepared beam splintered off, contains a number of small holes with wooden pins, showing how it had been mended.

4. *Canoes, Paddles, etc.*—At the commencement of our explorations, as already mentioned, a canoe, hollowed out of a single oak trunk, was found about 100 yards north of the Crannog. Its depth in the moss was well ascertained, owing to the fact that, though lying at the bottom of one of the original drains, it presented no obstruction to the flow of water, and consequently was then undisturbed. During the recent drainage all the drains were made a foot deeper, and hence its discovery. It measures 10




FIG. 87.—Outline of Canoe. Scale $\frac{1}{2}$ inch to foot.

feet long, 2 feet 6 inches broad (inside), and 1 foot 9 inches deep. The bottom is flat and 4 inches thick, but its sides are thin and rise up abruptly. There are 9 holes in its bottom, arranged in two rows, and about 15 inches apart, with the odd one at the apex. These holes are perfectly round, and exactly one inch in diameter, and when the canoe was disinterred they were quite invisible, being all tightly plugged (Fig. 87).

The oak paddle here figured beside the canoe was found on the Crannog. It is double-bladed, 4 feet 8 inches long and $5\frac{1}{2}$ inches broad (Fig. 88).



FIG. 88.—Oak Paddle. Scale $\frac{1}{2}$ inch to foot.

A large oar, together with the blade portion of another, was found in the Crannog, which has already been described (see page 47).

When the original drainage was carried out some forty years ago, I understand that two canoes, each of which was about 12 feet long, were found in the bed of the lake on the south-west side of the Crannog.

4. OBJECTS OF METAL.

(a.) *Articles made of Iron.*—1. A gouge, 8 inches long; stem $1\frac{1}{4}$ in circumference, slightly fluted before and behind; length of cutting edge $\frac{3}{4}$ of an inch; handle portion contained beautiful green crystals of vivianite (Fig. 89).

2. A chisel, length 10 inches ; handle portion $3\frac{1}{2}$ inches long ; contains crystals and small remnant of bone handle ; below handle there is a thick rim of iron ; cutting edge measures only $\frac{1}{2}$ an inch, and slopes equally on both sides. Top shows evidence of being hammered (Fig. 90).



FIG. 89.—Iron Gouge.

FIG. 90.—Iron Chisel.

FIG. 91.—Iron Knife.

FIG. 92.—Iron Punch.

Scale $\frac{1}{4}$.

3. Two knives. One (Fig. 91) has a blade 6 inches long, and a pointed portion for being inserted into a handle ; found on a level with, and close to, the lowest hearth, along with fragments of its handle made of stag's horn. The other (Fig. 9), found by a farmer in the debris long after it was thrown out of the trenches, was hafted on a different plan from the former, the end portion being broad and riveted to its handle by four iron rivets which still remain. The blade is 6 inches long and much worn, being only $\frac{1}{4}$ to $\frac{1}{2}$ inch in breadth, and the handle portion is $3\frac{1}{2}$ inches long. Its position in the Crannog is therefore uncertain.

4. A small punch, $2\frac{1}{2}$ inches long (locality uncertain) (Fig. 92).

5. A bulky nail, some 4 inches long and $\frac{1}{2}$ an inch in diameter, with large head ; almost entirely converted into rust (locality uncertain).

6. A round pointed instrument, 11 inches long and $1\frac{1}{4}$ inch in circumference ; its end portion is square, with sharp tip, as if adapted for insertion into a handle.

7. An awl, 4 inches long.

8. Two spear-heads, 13 and $9\frac{1}{2}$ inches long, with sockets for wooden handles, portions of which still remain in both sockets. The larger of the

two (Fig. 93) is prominently ribbed along its centre, and has a small copper rivet passing through the end of its socket. The other has only a very faint ridge along the centre of the blade (Fig. 94).



FIG. 93.



FIG. 94.



FIG. 95.



FIG. 96.



FIG. 97.



FIG. 98.

Iron Weapons. Scale $\frac{1}{4}$.

9. Five daggers. One (Fig. 95) has portion of a bone handle surrounded by a brass ferrule, and about an inch in front of this the remains of a guard are seen at the hilt of the blade; length of handle $3\frac{3}{4}$ inches, and circumference of ferrule $2\frac{1}{2}$ inches; the portion of the blade remaining is 6 inches long and rather more than an inch broad. Another, much corroded, has fragments of a wooden handle attached to it (Fig. 96). Fig. 97 represents a short pointed dagger, the blade of which is only $4\frac{1}{2}$ inches long, though at the hilt it is $1\frac{3}{4}$ inch broad. The others are mere portions of the blades, one of which is drawn at Fig. 98.

10. A large ring. It is $3\frac{1}{2}$ inches in diameter, and has a small portion of wood attached to one side (Fig. 99).

11. A saw, in three pieces, two of which were joined when found, and the third was lying a few feet apart. The length of the three portions together is 38 inches; average breadth is about 3 inches; teeth perfectly distinct and set. A small hole is seen at the end



FIG. 99.—Iron.
Scale $\frac{1}{4}$.

of one of the fragments. This relic was found at east side, external to the circle of stockades surrounding the log pavement (Fig. 5).

12. Fig. 8 (p. 48) represents portion of a much corroded hatchet, about 6 inches long and 2 broad immediately below socket, but gets wider towards




FIG. 100.—Iron. Scale $\frac{1}{2}$.

the cutting edge. Thickness through centre of socket is $1\frac{1}{2}$ inch. The back of socket was round, and had no projecting portion. Total weight $12\frac{1}{2}$ ounces. It had a small bit of the wooden handle in the socket when found.

13. A curved portion of iron, like part of a door staple, found amongst debris, but locality undetermined.

14. A curious 3-pronged implement (Fig. 100) was found, about 3 feet

deep, in the large drain a few yards to the south of Crannog; the prongs are curved, very sharp at the points, and attached laterally; they are $2\frac{1}{2}$ inches apart and 4 inches long; a portion of the handle is twisted spirally, its total length is 3 feet 9 inches.

15. A much corroded pick-axe was found about the middle of the lake area. The end of the axe portion is nearly 5 inches broad, and the whole length of the implement is 22 inches.

(b.) *Articles made of Bronze or Brass.*—1. Two fibulæ, represented full




FIG. 101.—Fibula. Full size.

size in Figs. 101 and 102, found about the centre of the refuse-heap. Figs. 103 and 104 represent side and back views of a third fibula, much




FIG. 102.—Fibula. Full size.

more elaborately ornamented, which was subsequently found in the debris when closing up the trenches.




FIG. 103.—Fibula. Full size.

2. A bronze ring pin, 6 inches long. The square-shaped portion at the

top has a different device on each side, and the shank from its middle to the point is ornamented on both sides (Fig. 105).¹




FIG. 104. Back view of
Fibula, Fig. 103.




FIG. 105. Bronze Ring
Pin. Scale $\frac{1}{2}$.




FIG. 106.—Bronze Implement with
transverse sections. Scale $\frac{1}{2}$.

3. A bronze spatula or dagger-shaped instrument. It is very well

¹ Colonel Gould Weston, F.S.A., has pointed out that one of these devices is a fylfot (croix gammée or swastika), an ancient symbol which in modern times has called forth a considerable amount of speculative writing. Its occurrence on four Irish monumental stones of the early Christian period has been the occasion of a

recent article by the Bishop of Limerick (see *Proceed. of Royal Irish Acad.*, vol. xxvii. part 3). The following extract from a paper, by M. Oscar Montelius, on the Sculptured Rocks of Sweden, is of interest as bearing on this point :—

“La fréquence de la roue ou du cercle crucifère

preserved, and although shaped like a dagger, the edges are not sharp. Its length is about $11\frac{1}{4}$ inches and breadth $1\frac{1}{2}$ inch (Fig. 106).


4. Portion of strong wire, 4 inches long, showing evidence of having been in the fire.

5. Thin spiral finger ring (Fig. 107).

6. Fig. 108 represents a curious bronze object about $3\frac{3}{8}$ inches long;




FIG. 107.

FIG. 108. Scale $\frac{1}{2}$.

diameter of ring portion is 1 inch; the transverse bar at the other end is slit longitudinally and pierced transversely by a small hole about its centre.

7. Curved and slightly grooved bronze wire, $2\frac{1}{4}$ inches long, and precisely similar to the upper portion of a modern safety-pin.

(c.) *Article made of Iron and Bronze.*—A bridle bit. This consists of

FIG. 109.—Bridle Bit. Scale $\frac{1}{2}$.

two large rings and a centre-piece. Its extreme length is $10\frac{1}{2}$ inches, the outer diameter of the rings is rather less than 3 inches, and the centre-piece, which is entirely made of iron, is $3\frac{3}{4}$ inches long. The rings are partly iron

(Fig. 11) et l'absence totale de la croix gammée (Fig. 12). Toutes deux sont, sans doute, des



FIG. 11.



FIG. 12.

symboles religieux. La première (Fig. 11) qui se trouve très-souvent sur les monuments de l'âge du bronze, est presque totalement inconnue

pendant l'âge du fer. La croix gammée (Fig. 12), au contraire, est très-fréquente pendant ce dernier âge; je ne l'ai jamais vue sur les rochers sculptés dont nous parlons à présent."—*Compte-Rendu. Congres Inter. d'Anthrop. et d'Arch. Prehistorique, 7^{me} Session, 1874. Tom. i. pp. 459, 460.*

See also Dr. Schliemann's works on the excavations at Troy and Mycenæ, where both these symbols are referred to as of frequent occurrence.

and partly bronze, the circular portion being iron and the rest bronze. The bronze portion is $2\frac{1}{2}$ inches long, and has two eyes or loops, one of which is attached to the centre piece and the other free. This interesting relic was turned up by two visitors poking with a stick at the south-east corner of the refuse-heap (Fig. 109).



FIG. 110.—Actual Size.

A round knob of lead, as if intended for the hilt of a hand weapon, was found very near the surface of the mound.

6. MISCELLANEOUS OBJECTS.

1. *Carved Wood*.—Perhaps the most interesting of all the relics discovered on the Crannog is a small piece of ash wood, about 5 inches square,



FIG. 111.—Actual Size.

having curious diagrams carved on both sides. On one side (Fig. 110), three equidistant spiral grooves, with corresponding ridges between, start from near a common centre and radiate outwards till they join, at uniform distances, a common circle which surrounds the diagram. On the other side (Fig. 111) is a similar diagram, with this difference, that between the points of commencement of the spiral grooves there is a space left which

is occupied by a small circular groove surrounding the central depression or point. This figure is surmounted and overlapped by two convoluted and symmetrical grooves meeting each other in an elevated arch, with a small depression in its centre. The relic was found on the west side of the Crannog, about 4 feet deep, and near the line of the horizontal raised beams.

2. *Fringe-like Objects*.—Another object which has excited considerable curiosity is an apparatus made like a fringe by simply plaiting together at



FIG. 112.— $\frac{1}{3}$ Size. Made from stems of a moss (*Polytrichum commune*).




FIG. 113.—Full Size.

one end the long stems of a kind of moss (Fig. 112). Portions of similar articles were found in three different parts of the Crannog, and all deeply buried. The one figured here, and the most neatly formed, was found in the relic-bed; another about a couple of yards north of the fireplace, and others at the south-west side, a little external to the area of the log pavement. In this latter place a large quantity was found, but, although the evidence of having been plaited at one end was quite distinct, the stems of the moss were not prepared with the same care as in the one figured above, as the leaflets were still adhering to them. The cue or pigtail described at page 47 seems to have been formed of the same material as these so-called girdles or fringes.

3. *Leather Objects*.—Fig. 113 is the representation of a fragment of a curious object, consisting of two portions of thick leather kept together by stout square-cut copper nails. These nails are broader at one end than the other, and pass completely through the layers of leather, after which they appear to be slightly riveted. The relic, as it stands, contains six nails, arranged in two rows, three in each row, and measures $2\frac{1}{2}$ by 2 inches, but the marks of additional nails are seen all round. Several portions of leather were collected from time to time. On the occasion of Mr. Joseph Anderson's visit to Lochlee he found a shoe in the stuff just thrown out of the bottom of the outer trench at the south side of the Crannog. Other portions were picked up on the surface of the trestle-work, showing marks of having been neatly sewn. Also two stout thongs, one with a slit at the end through which the other thong passed and then formed a knot, together with a portion of coarse leather about the size of the palm of my hand, were found near the junction of the gangway with the Crannog.

4. *Beads*.—Two fragments of glass beads, one fluted, the other smooth, and shaped like dumbbells (Figs. 114 and 115).

FIG. 114.—Scale $\frac{1}{4}$. Glass.FIG. 115.—Scale $\frac{1}{4}$. Glass.FIG. 116.—Scale $\frac{1}{4}$. Bone.

5. *Rings*.—A small bone (?) ring $\frac{3}{4}$ inch in diameter, and portion of another similar to the former, but a little larger.

6. *Pottery*.—(1.) The bottom of a jar made of reddish pottery, said to be Samian ware, was found in a drain close to the Crannog. Its diameter is $3\frac{1}{2}$ inches. (2) Five small portions of a whitish unglazed ware, with circular striæ, as if made on the wheel, have been picked up in the debris after it had been wheeled out and lain exposed to the weather for some time, but the original situation of a single bit has not been determined. These fragments might all belong to the same vessel, and two of them, though found at different parts and at different times, fit each other exactly. (3.) Another fragment of unglazed pottery, much coarser and ruder than the above, was subsequently found in the debris.

7. *Lignite, Jet, etc.*—(1) A small bit of a black substance like a jet button. (2.) Two portions of armlets made of lignite or jet, each about 2

inches long, were found near the wooden platform at the north-east corner. One is a little thicker and coarser than the other, and forms part of a circle which, if completed, would measure exactly 3 inches across (internal diameter). The other is polished and of a jet black colour, internal diameter $2\frac{3}{4}$ inches. A third fragment of a similar ornament was found in the debris when closing up the Crannog. It is more slender, and has a smaller diameter than either of the others. The portion of ring made of shale found at the bottom of the deep shaft below the log pavement is smaller than either of these, its internal diameter being only 2 inches, and its external $3\frac{1}{4}$ (Figs. 117 and 118).



FIG. 117.



FIG. 118.

Portions of Jet Armlets. Scale $\frac{1}{2}$.

8. *Tusks*.—The large number of boars' tusks met with, quite unconnected with the bones of the animal, especially in the relie-bed around the fireplaces, suggests the idea that they may have been used as implements. One only, however, was found to have decided marks of having

FIG. 119.—Scale $\frac{1}{2}$.

been formed into a tool. It is $3\frac{1}{2}$ inches long, and very sharply pointed (Fig. 119).

9. *Pigments*.—Several soft lumps of what appeared to be a blue and a red pigment were found, but they were not subjected to analysis. A specimen of the latter, which has been kept in a bottle, is now turning blue like the former.

10. *Insect Cases*.—Large quantities of the horny coverings of insects like beetles were found in patches here and there, together with one or two brilliant-coloured *elytra*.

11. *Shell*.—One solitary shell was found near the fireplace, which I believe to be *Littorina littorea*.

THE FAUNA OF THE CRANNOG.

The following is the Report of Professor Rolleston, M.D., F.R.S., F.S.A., on the Fauna of the Crannog :—

Among the bones submitted to me by Robert Munro, M.D., Kilmarnock, and reported as having been procured from a Crannog at Lochlee, the following animals have their skeletons represented :—

The Ox, *Bos longifrons*; no proof of the presence of the wild variety.

The Pig, *Sus scrofa*, variety *domestica*. I am not clear that the wild variety is represented here any more than in the specimens of the preceding species. (One fragment might have belonged to a wild individual, the molar No. 3 in it having all the pinnacles and eminences which have given to the teeth of the *Suidæ*, as to the whole division of non-ruminant Artiodactyles, the name Bunodont, worn away, and having its grinding surface consequently reduced to one single, however sinuous, continent of dentine bounded by enamel.) As is well known,¹ the bones of an ill-tended and ill-fed self-providing, so-called domestic pig, come to be very like the bones of a thoroughly wild pig; whilst, on the other hand, it is also well known that very great variations exist as to size within the limits even of the wild varieties of *Sus scrofa*. But in the series now before me there is only one fragment, consisting of the part of the lower jaw which carries the last molar, and a part of the ascending ramus, and of that last molar itself, which could, I think, by any possibility be referred to the wild variety. And even here such a reference could only be justified on the ground of the great degradation which the cusps of the tooth have suffered, it being usually the case that domestic pigs are not allowed to live sufficiently long to get their teeth so worn down. I have however to say that, both from this country and from India, skulls of undoubtedly domestic animals of this species have come into my hands, in which the teeth are worn down far below the limits to which the molars of pigs are allowed to be worn down by modern model-farm managers.

The texture of the bone furnishes us with no indications, its gloss and tenacity, if such it ever possessed, having been entirely removed by its long maceration in water.

¹ See Nathusius, *Schweineschädel*, 1864, p. 147; 1875; Stüder, *Zurich, Mittheilung Pfahlbauten*, Rüttimeyer, *Basel. Gesell. Naturforscher*, 1864, p. 1876, xix. 3, p. 67. 161; Naumann, *Archiv für Anthropol.* viii. p. 23.

It is however worth mentioning that this fragment from a Scottish Crannog exactly reproduces the contour of a fragment from the Starnberger See. (See Memoir on this "find" in the *Archiv für Anthropologie*, viii. 1875.) In both the angle of the jaw has been knocked away, for the sake, doubtless, of the soft and succulent, and I may add sensitive, substances it protected during life, and in both the posterior molar has been left *in situ*, though much worn down. The posterior molar, however, of the foreign specimen has that superior development of its third molar, which, if Nathusius (*Schweineschädel*, p. 49) had not taught us better, might have been referred to domestication instead of to better food or sexual (male) character. I owe this specimen to the kindness of J. E. Lee, Esq., F.G.S., and though I hesitate in the case of the Scottish specimen, I have no hesitation in referring this one to the wild variety, as indeed it is referred under the title *Sus scrofa ferox* on the label it carried when it came into my hands.

The specimens of pigs' bones and of pigs' teeth are numerous, but none other either of the bones or of the teeth are of the size, strength, or proportions which would have enabled their owners to hold their own as wild animals in a country in which the wolf may still have existed.¹

The Sheep, old dun-faced breed, *Ovis aries*, variety *brachyura*. One nearly perfect skull of a sheep of the variety which is known as *brachyura*,² from having a short tail, but which also has the horns of the goat, set on, it is true, with their long axis at a different angle from that which they have in the true goat, but still in themselves of very much the same shape. One lower jaw in this series has the concave posterior boundary, and the sinuosity anterior to its angle, which goats usually and sheep only sometimes possess. It belonged, however, to an immature individual, the posterior molar not having been evolved, and it cannot be considered to positively prove the presence here of *Capra hircus*.

The Red Deer (*Cervus elaphus*) is very abundantly represented in this series, especially by fragments of horns, some of which bear marks of having themselves been cut and sawn by other implements, whilst one or two may possibly have been used, as the tynes of red deer so often were by the early British flint miners, as borers.

¹ For reference to the bibliography of Prehistoric Swine, see *Linnean Soc. Trans.*, ser. ii., Zool. vol. i. 1877, p. 272.

² For reference to the history of this variety of Sheep, see *British Barrows*, p. 740.

The Roe Deer (*Cervus capreolus*) is only scantily, though unambiguously, represented in the collection from Lochlee.

The Horse (*Equus caballus*) is represented by but a single shoulder-blade; it is of small dimensions relatively to most or all domestic breeds with which I am acquainted; this applies, however, to all the domestic animal remains found here.

Reindeer (*Cervus tarandus*).—There are two more or less fragmentary portions of horns, which, after a good deal of comparison with other reindeer horns, and with fragments of red deer horns, I incline to set down as indicating the presence of the former animal in this collection. It is easy to separate reindeer horns from red deer horns when you have the entire antler before you, or even when you have the brow antler only, in most cases; and it is usually easy to separate even a fragment, if the fragment is fresh, because the surfaces of the horns in these two horns are different. But here the two fragmentary horns in question have no brow antler left, and their surfaces have been macerated so long as to have desquamated, or, to change from a medical to a geological metaphor, have been denuded a good deal. Still one fragment is, I think, too tabular, and the other is too tabular also, and that just below the origin of what in the red deer is known as the sur-royal antler, to be anything but a reindeer's.

Writing for Scottish readers, I need not refer to Dr. J. A. Smith's paper "On Remains of the Reindeer in Scotland," read before the Society of Antiquaries of Scotland, June 14, 1869, vol. viii. pt. i. pp. 186-223, nor to his references in that exhaustive memoir to preceding writers. But I may mention an additional reference which Dr. J. A. Smith, not being gifted with as much second sight as he is with insight, could not have then referred to, as it is contained in a book of more recent date than is his paper. This reference will be found in Mr. Joseph Anderson's edition of the *Orkneyinga Saga*, chap. vi. p. 182.

Regarding a subsequent consignment of bones and horns sent to Professor Rolleston, he writes as follows:—

"The only remark which I feel called upon to make relates to the bones and the teeth of the pig; the marrow cavity in the lower jaw of one of the pigs, a young specimen, containing a large quantity of crystals, and the teeth of the older pigs showing a great deal of wear for the teeth of what were, I think, domesticated swine. The crystals were analysed by W. W. Fisher, Esq., of the Chemical Department in the Oxford Museum, and found

to be vivianite as supposed. It is not uncommon to have bones from pre-historic 'finds,' which have been much acted on either by fire or water, thus coloured by double decomposition of the bone phosphate with some iron salt furnished either from the bone and flesh or otherwise.

"The horns" (all the worked ones in the collection) "received a few days ago are all of Red Deer (*Cervus elaphus*), except one, which is of *Cervus capreolus*. With this consignment came one bone, or rather the ulna and radius of a *Bos longifrons*, more or less fused into one bone. The horn of the Roe is rather a large one."

THE FLORA OF THE CRANNOG.

As there appears to be some difference of opinion among botanists as to whether certain trees, now common in our forests, such as elm and beech, are indigenous to Scotland, my attention was directed at an early stage of the investigations at Lochlee to the importance of determining the different kinds of wood used in the structure of the Crannog. Accordingly, I collected specimens of the wood and other vegetal remains encountered during the excavations, and in due time forwarded them to Professor Balfour, Edinburgh, who had kindly agreed to examine and report upon them, but unfortunately, owing to ill health, he was unable to do so, and the box containing the specimens, after lying in Edinburgh for some weeks, was returned unopened. Ultimately, however, Dr. Bayley Balfour, Professor of Botany in the University of Glasgow, undertook this task, and it is to him I am therefore indebted for the following Report:—

"I shall send by train to-morrow the box of Lochlee vegetable remains. I have examined them carefully, and you will find each specimen numbered, the numbers corresponding with those in the appended list. There is not so much variety in the wood as I anticipated, and I am surprised to find neither oak nor fir. The tissue of the wood is in most cases considerably decomposed, the wood cells, as might be expected, being most affected. Betwixt alder (*Alnus glutinosa*, L.) and poplar (*Populus tremula*, L.), the only indigenous species, there is really very little difference in wood structure, and indeed birch (*Betula alba*, L.) and hazel (*Corylus Avellana*, L.) are not far removed, so that when the texture of the wood is much compressed, and decomposition has progressed, an identification is somewhat hazardous, and I have therefore queried my determination in some cases. No beech occurs amongst the specimens you sent me."

The following is a summary of the detailed list:—

I. *Brushwood, etc.*—The various specimens of wood which were selected from below the log pavement have been classified as belonging to one or other of the following trees, viz. birch (*Betula alba*), hazel (*Corylus Avellana*), alder (*Alnus glutinosa*), and willow (*Salix*, sp.)

II. *Wooden Relics.*—One of the implements (Fig. 80), which appeared to be made of a different kind of wood from any of the rest, has been indentified by Dr. Balfour as elm (*Ulmus montana*, Sm.); and the piece of board with the carved diagrams (see pages 74, 75) is found to be ash (*Fraxinus excelsior*, L.) The rest of the relics were not submitted to Dr. Balfour, as they had so crumbled into dust (except those made of oak, all of which were easily recognised) that their identification appeared impossible.

III. Among the remaining vegetal remains collected from the debris above the log pavement, Dr. Balfour has identified the following species:—

“(1) *Hypnum (Hylocomium) splendens*, Dill. This specimen I submitted for confirmation to Mr. Hobkirk of Huddersfield, and after the most careful examination he refers it to the above.

“(2) *Dædalea quercina*, P. This I submitted to Dr. M. C. Cooke for confirmation, and he remarks, ‘Must be a thin form of that species; but of course it is very much discoloured, and hence difficult to determine.’

“(3) *Bovista nigrescens*, P.

“(4) *Polyporus igniarius*, Fr. This and the preceding are Dr. M. C. Cooke’s identification.

“(5) *Polytrichum commune*, L. (Portions from the fringe-like girdles (Fig. 112) and the pigtail-like object described at page 47 were thus labelled.)

“(6) *Pteris aquilina*, L.

“(7) Several masses containing roots and root leaves of a monocotyledonous plant with equitant leaves, heather stems, and rhizomes of fern.

“(8) Portions of birch bark in stripes rolled together like a ball of thread.

“(9) Hazel nuts. One gnawed by a *squirrel*? If, as I conjecture, it has been done by a squirrel, it is interesting, as affording evidence of their occurrence in this locality.

“I am sorry I am unable to be more definite in many cases. The masses made up of monocotyledonous plants would not repay a more extended examination.”

CONCLUDING REMARKS.

To extract from the above investigations, however suggestive the results may appear, a life history as it were of the Crannog, or indeed much reliable information regarding the habits of the Celtic races who flourished in the neighbourhood during the period of its existence, would be presumptuous on my part, if not beyond the scope of legitimate inference, especially in face of the meagre results hitherto obtained from Scottish Crannogs. The completeness with which the operations have been executed, together with the great variety of relics found, cannot fail to make the Lochlee Crannog a standard of comparison for future discoveries of a similar character, at least for some time to come, and hence it was essential to have the present report free from all speculative opinions. I have therefore up to this point entirely confined myself to matters of fact which have come under my own direct cognizance; and as for the relics, I have simply endeavoured to describe them accurately, leaving it to experienced archaeologists to determine their historical value. There are, however, a few points, bearing on the antiquity and duration of the Crannog, which, though undoubtedly included in the category of the speculative, I wish to state, as they could only be made by one conversant with all the phases of the excavations; but which after this caution must be taken *cum grano salis*.

1. *Position of Relics*.—As many of the relics, if judged independently of the rest and their surroundings, would be taken as good representatives of the three so-called ages of Stone, Bronze, and Iron, it is but natural for the reader to inquire if superposition has defined them by a corresponding relationship. On this point I offer no dubious opinion. The polished stone celt, Fig. 16, and the knife, Fig. 91, were found almost in juxtaposition about the level of the lowest fireplace. Though the hammer-stones, as a rule, were more abundant in the lower strata, yet the very first thing indicating human art which was found, when we commenced to dig towards the centre of the mound, was a hammer-stone. Almost all the horn implements were found at or below the level of the first-discovered pavement, and three-fourths of the querns were found above it. Below the same level, and around the hearths, tusks of boars were numerous, whereas almost none were found above it; and in the midden pigs' jaws and teeth were found only at its lowest stratum. Various inferences might be drawn from these remarks, which my readers can do for themselves.

2. *Character of the Wood-work.*—From the discovery, in the deep section made below the log pavement, of beams with tenons and mortised holes, and large trunks having their branches lopped off as if with a hatchet, it would appear that the first constructors of the Crannog were well acquainted with the use of metal tools. Referring again to the fact that the two or three series of circular stockades coalesced into one on the north side, I may mention that this singular feature would be accounted for by the supposition (a by no means improbable one) that the original structure was confined to the area of the log pavement and its circle of stockades, and that the external uprights at the south side, together with the gangway and the trestle-work, were subsequent additions to it. This theory derives some support from the fact that the base of the wood-work of the Crannog was at least 14 feet (after making allowance for the extra height of the mound) below the surface of the field, whereas that of the gangway, within a few feet of the Crannog, was only 10 feet. This difference of 4 feet could hardly be accounted for by the inequality of the bed of the lake, as the field appeared here to be quite level, so that this accumulation of 3 or 4 feet of silt would represent the interval of time that elapsed between the rearing of the Crannog proper and that of the gangway. That broken planks and old mortised beams were mixed up with the trestle-work in various places, would also go to support the idea of a prior structure; while evidence that the whole superstructure had at one or more times been destroyed by fire was quite conclusive. According to the above theory, the elaborate mortised beams at the north-east corner would probably have been a landing-stage, but which, in their present position, are quite inexplicable.

3. *Level of Lake.*—Amongst the problems of a discursive character here referred to, perhaps there is none of greater interest than that which deals with the cause and effect of the change that has taken place in the level of the lake. From eye-witnesses we know that, before the first drainage was carried out, the mound used to be covered with water in the winter time; and Mr. Charles Reid tells me that the line of level which he has adopted in measuring for the plan of the lake, is 8 feet 7 inches above the log pavement. Now the area assigned to the lake by Mr. Reid is considerably less than what the old residents of the district make it out to have been, as several of them have stated that they had seen its waters extend beyond the road on the west side (see Plan), and yet from his data the depth of water would just cover the highest part of the mound, which it will be remembered was

about the same height above the log pavement. Originally the island must have been higher than the lake, but allowing that the log pavement was only 3 feet above the surface of the water, we have at least 11 feet of change of level to account for. This phenomenon could only be caused by a sinking of the whole island, or a rising of the water, or a combination of both causes. I do not think that the weight of the island and its superincumbent mass would press so heavily on the bottom of the lake as to cause it to sink much, since the enormous amount of wood-work, of which it consisted, being lighter than water, would have a corresponding buoyant effect, and so help to counteract the weight of the aerial portion. Nor has any great compression of its substance taken place from decay, because, in the course of making the deep section under the log pavement, we found the contour of the large trees quite symmetrical and perfectly round; and although the wood was very soft it was not compressed, owing to its being completely saturated with water, which of course is virtually incompressible. Although I have often seen small brushwood flattened from pressure, yet I have never seen this effect produced on a branch larger than my wrist, and only in one instance did I notice it on a piece of wood of this size. Moreover, the gangway, which certainly could not sink from its weight, was deeply buried, its uppermost horizontal beams being not less than 7 feet below the surface of the field. We must therefore fall back on the only other alternative, and assign this change in the relative position of the Crannog and level of the lake chiefly to the rising of the water. This result is somewhat unusual, because running water, having a tendency to deepen its channel, and the accumulation of sedimentary deposits, often produce an opposite effect, and cause the complete drainage of lake basins. I have therefore carefully examined the outlet of the lake to ascertain if possible the causes that led to this rise in its bed.

Its natural outflow was at the south-east corner, and the little stream, after running southwards for a few yards, quickly turned westwards into a narrow valley which wended towards Fail Loch. Just at this abrupt turning the background rose somewhat steeply to the south, so that the termination of the valley as it entered into the Lochlee basin was very liable to be obstructed by debris washed from the slopes above. Besides being thus favourably situated to catch washed-down materials, it is probable that during the summer the surplus water would be very scanty, and vegetation abundant, so that in the course of time the bed of the outlet would

gradually be raised. A section cut across the outlet would readily disclose the sequence of the silted materials, had it not been that the soil was disturbed by a deep covered drain which was made when the first drainage operations were executed and ran along its whole course. Also, I understand that previous to this the lake was used as a mill-dam. We cannot therefore get rid of the elements of uncertainty in any calculations which might be based on the change of the level of the lake and the accumulation of silt in its bed.

I may however mention, on the grounds already stated, that since the foundations of the Crannog were laid, the increase in the bed of the lake in its vicinity cannot have been less than 14 feet; and 11 feet is the lowest estimate that I can assign to the rise in the level of its surface. On the supposition that the rise of the water was uniform, and since the last fireplace was about 6 feet above the lowest, and allowing $1\frac{1}{2}$ feet for the time the former was used, we have then the total period of occupancy of the Crannog represented by $7\frac{1}{2}$ feet of rise in the level of the lake. We have no means of comparing this period with its representation in so many feet of lake sediment, but I may state that since the canoe, found about 100 yards from the Crannog, was abandoned, no less than 5 feet of this mossy lake sediment accumulated over it.

The composition of the silt forming the bed of the lake, especially near the Crannog, as already described at page 50, points to the fact that for centuries the increase was due principally to the decomposition of vegetable matters, while latterly it was caused more by a deposition of fine clay; and when excavating along the line of the gangway we had an opportunity of verifying the regularity of this succession. A change so marked in the sediment can only be accounted for by a corresponding change in the surrounding scenery, and no explanation is more likely than that the primeval forests had given place to the inroads of agriculture, when some of the upturned virgin soil would be washed down, as it still is, by every trickling rill that finds its way into this lake basin.

It now only remains for me to thank the numerous gentlemen who, by reports, analyses, etc., or otherwise, have so ably contributed to the successful development of these investigations. In addition to the names already mentioned, I have the pleasure of stating that the plan of the lake was contributed by Mr. Charles Reid, and that of the Crannog by Mr. Park, Braehead Office. The sketches were all executed by Mr. James Thomson of the

Ayr Academy. I have also to express my deep obligations to Messrs. James Blackwood and J. H. Turner for the assistance and facilities they have afforded me in collecting the materials for this Report. To acknowledge the kindness of Mr. Spiers, the farmer at Lochlee, is a duty incumbent not only on me but on many other visitors to the Crannog, who have equally experienced his generous hospitality.

[The selection of bones from the Crannog sent to Professor Rolleston for examination is now deposited in the Anatomical Museum at Oxford, and all the rest of the relics are located in the Museum attached to the Burns Monument at Kilmarnock.]